

【構成員】

《企画部》 教授：福山 秀敏、陳 明偉、 研究支援者：LUPU Nicoleta

その他（客員教官（外国人研究員）15 名、 事務補佐員 2 名）

《プロジェクト部》 教授：井上 明久(兼)、櫻井 利夫(兼)、前川 禎通(兼)、 助手：呉 克輝(－ 2005. 1. 31)

【IFCAMの研究活動】

本センターは後述される企画部・プロジェクト部に所属する研究者が独自に展開する研究活動に加えて、研究所全体のシンクタンクとして、所内の様々な研究活動の連携を促進している。

具体的には 1) 研究集会の主催、ないしは援助、 2) フォーラムの結成、がある。

1) 研究集会

「コバルト酸化物の電子状態についての IFCAM インターナショナルワークショップ」を 2004 年 6 月 3 日－4 日に IFCAM セミナー室において開催。

“IFCAM Mini Workshop on Nano-science and technology” を 2004 年 6 月 21 日 IFCAM セミナー室にて開催。(プロジェクト部櫻井研究室)

IFCAM 勉強会を 2004 年 8 月 23 日－26 日・9 月 30 日－10 月 1 日・10 月 22 日－24 日に IFCAM において開催。

"International Workshop on Novel Quantum Phenomena in Transition Metal Oxides"

を 2004 年 11 月 22－24 日に AER において開催。(プロジェクト部前川研究室)

「第 74 回金研講習会・第 1 回 IFCAM 物質材料若手学校」を 2005 年 3 月 3 日－5 日に秋保岩沼屋にて開催。

IFCAM 客員教授・ゲストによるセミナーを 10 回開催。

2) フォーラム

「物質科学」の将来の重要課題について意見交換する機会として、「界面・電極の電子状態」および「分子系の電子状態」に関するフォーラムを設置。前者については 2004 年 11 月 29－30 日秋保において国際フォーラムを開催。

I. 企画部：福山研究室

【研究成果】

電子系の量子効果に関する理論的な研究。具体的な対象は以下の通り；

(1) 「分子系の物性」

多様な「分子性結晶」の物性について従来から展開してきた研究を総説として取り纏めた。さらに、 π -d 系の典型例の一つであるフタロシアニンおよび単一種分子性金属の物性研究を展開した。さらに、非晶質分子系の興味ある例として DNA に対するキャリアードーピングの可能性を明らかにした。

(2) 「分子鎖のコンダクタンス」

現時点では「夢物語」である「分子デバイス」の基礎的研究の第 1 歩として、電極に接合した有限分子鎖が持つコンダクタンスの長さ依存性を明らかにした。

1. H.Kino, M.Tateno, M.Boero, J.A.Torres, T.Ohno, K.Terakura, and H.Fukuyama
A Possible Origin of Carrier Doping into DNA
J. Phys. Soc. Jpn., 73, 2089 (2004)
2. H.Seo, C.Hotta, and H.Fukuyama
Toward Systematic Understanding of Diversity of Electronic Properties in Low- Dimensional Molecular Solids
Chem. Rev. 104, 5005 (2004)

II. 企画部：陳研究室

【研究成果】

In the last fiscal year I have published 6 papers in international journals, including Science and Phy. Rev. B, and gave 1 invited talk in the international workshop, and 3 lectures. Additionally, I sever as a board reviewer for **Matell. Mater. Trans. A**, and reviewers for **Nature Materials**, **APL**, **Scripta Mater.** and **Acta Mater.** One of my proposal (Science Research Fund (kaken-hi) A) has been awarded. As summary, I think I have a pretty good year as the starting point of my new career at Tohoku University.

1. M. W. Chen and X. Q. Yan

Comment on “Grain boundary mediated plasticity in nanocrystalline nickel”

Science, 2005, V308, p.5720

2. M. W. Chen, A. Inoue, T. Sakurai, E. S. K. Menon, R. Nagarajan, and I. Dutta

Redistributions of alloying elements in quasicrystallized Zr-Al-Ni-Cu-Ag bulk metallic glass

Phys. Rev. B, 2005, vol 71, p. 092202

3. K. A. Peterson, I. Dutta and M.W. Chen

Processing and characterization of diffusion-bonded Al-Si interface

J. Mater. Proc. and Tech., 2004, Vol.145, 99.

4. Y. Ding, M. W. Chen and J. Erlebacher

Metallic Mesoporous Nanocomposite Materials for Electrocatalysis

J. Amer. Chem. Soc. 2004, vol 126, p. 6876

5. B. S. Xu, P.Han, J.Liang, X. G. Liu, H. Q. Bao, T. B. Li, M. W. Chen,

Theoretical investigation of the reflectivity of fullerene-(C-60, C-70)/AlN multilayers in UV region

SOLID STATE COMMUNICATIONS, 2005, Vol. 133, 353-356

6. M. L. Glynn, M. W. Chen, K. T. Ramesh, and K. J. Hemker

Influence of martensitic transformation on the stress development in thermal barrier coating systems

Mater. Metall. Trans., 2004, vol. 35A, 2279 (2004).

III. プロジェクト部：井上プロジェクト

【研究成果】

The following are the report on the research activities of the Inoue Research Group in IFCAM, IMR, Tohoku University in 2004. The researches were mainly conducted by Prof. Alain Reza Yavari from Institut National Polytechnique de Grenoble, France during October 15, 2004 - January 14, 2004, and Prof. Walter Jose Botta Filho from Federal University of São Carlos, Federative Republic of Brazil during November 1, 2004 - January 31, 2005. As a result of their study, new findings have been obtained in the following aspects: nature of the free volume of metallic glasses, fabrication of Cu-based metallic glasses and their glass forming ability, hydrogen absorption composites as a energy material. The details of the results are described below with referring to the publication lists. <Publication List No. 1: Free Volume> It is widely accepted that in crystalline materials, lattice expansion as measured by diffraction methods differs from the expansion of the sample dimensions as measured by dilatometry. This difference is due to the contribution of thermal vacancies to the latter. We have found that in glassy materials and metallic glasses; however, this difference is not due to the contribution of free volume. These findings are regarded as the first direct experimental confirmation of simulation results indicating that atomic size holes are unstable in glasses such that free volume is dispersed randomly. This result can be used for the direct measurement of excess free volume in glasses using diffraction methods in place of dilatometry. < Publication List No. 2: Cu-based Glassy Alloys> A group of Cu-Ti-Zr-Ni-X (X = Fe, Si, Sn, Pb) bulk glassy alloys was produced by copper mold casting. The glass-forming ability (GFA) and the devitrification behavior of the glassy alloys were investigated by differential scanning calorimetry and synchrotron experiments. The GFA was evaluated by considering following indicators: the reduced glass transition temperature $T_{rg} = T_g/T_1$ (T_1 = liquidus temperature), the supercooled liquid region $T(x) = T_x - T_g$, and a new parameter gamma defined as $T_x/(T_g + T_1)$. The maximum values of the indicators are as follows: $T(x) = 57K$ for $Cu_{47}Ti_{33}Zr_{11}Ni_8Si_1$, T_{rg} and gamma for the $Cu_{47}Ti_{33}Zr_{11}Ni_8Fe_1$ and $Cu_{47}Ti_{33}Zr_{11}Ni_8Si_1$, respectively. The comparison of the parameters indicates that T_g and gamma correlate better with GFA than AT_g . In situ recorded XRD scans reveal that the first crystallizing phase has a gamma-CuTi-type structure. The microstructure stable before melting contains a mixture of gamma-CuTi, $Cu_{51}Zr_{14}$, Cu_2TiZr and Ti_2Cu compounds. < Publication List No. 3: Energy Materials> It is reported that the development of new nanostructured MgH_2 composites in which fluorine and TM catalysts are introduced through the addition of TM fluorides such as FeF_3 . Subsequently, a fluorine transfer reaction takes place in the alloy, followed by the generation of protective MgF_2 plus Fe nanoparticles catalyst. The powders thus obtained show sharply accelerated H-sorption kinetics at 300 degrees Celsius. In addition, hydrogen-sorption at rates applicable can be obtained at temperatures much lower than those reported for MgH_2 with other catalysts without significant loss of capacity. < Publication List No. 4: Energy Materials> By employing mechanical alloying of nanograined MgH_2 with addition of small amounts of FeF_3 combined with a fluoride transfer reaction, a nanocomposite powder containing both the transition metal and fluorine as catalysts are produced. The solid-state phase transformations and microstructural changes during milling

and/or during heating were studied by X-ray diffraction during in-situ heating, transmission electron microscopy, differential scanning calorimetry and magnetization measurements. The fluoride transfer reaction takes place partially during milling and can be completed during the first heating cycle. An improved hydrogen-desorption behavior was observed in such nanocomposite powder in comparison with the best reported values for MgH_2 -based composites. < Publication List No. 5: Free Volume> In order to clarify the relationships between the thermal expansion and relaxation of glassy materials, in situ transmission diffraction experiments were conducted using high-energy, high-intensity synchrotron light on heating for a pyrex glass. As a result, it is found that the evolution with temperature as well as time of the position of the first diffraction maximum of the diffraction pattern accurately reflects the thermal expansion coefficient and the relaxation behavior of the pyrex glass. This experimental result indicates that with diffraction experiments one can quantitatively determine the glass transition T_g , which is usually conducted with thermal analyses. In addition, the excess quenched-in free volume and its relaxation kinetics can also be determined by this technique.

1. A.R. Yavari, A. LeMoulec, A. Inoue, N. Nishiyama, N. Lupu, E. Matsubara, W.J. Botta F., G. Vaughan, M. D. Michiel and A. Kvik
“Excess free volume in metallic glasses measured by X-ray diffraction”
Acta Mater., 53 [6](2005), 1611-1619
2. M. Calin, M. Stoica, J. Eckert, A.R. Yavari and L. Schultz
“Glass formation and crystallization of $\text{Cu}_{47}\text{Ti}_{33}\text{Zr}_{11}\text{Ni}_8\text{X}_1$ (X = Fe, Si, Sn, Pb) alloys”
Mater. Sci. Eng. A-Structural Materials Properties Microstructure and Processing, 392 [1-2](2005), 169-178
3. A.R. Yavari, A. LeMoulec, F.R. de Castro, S. Deledda, O. Friedrichs, W.J. Botta F., G. Vaughan, T. Klassen, A. Fernandez and A. Kvik
“Improvement in H-sorption kinetics of MgH_2 powders by using Fe nanoparticles generated by reactive FeF_3 addition”
Scripta Mater., 52 [8](2005), 719-724
4. J.F.R. de Castro, A.R. Yavari, A. LeMoulec, T.T. Ishikawa and W.J. Botta F.
“Improving H-sorption in MgH_2 powders by addition of nanoparticles of transition metal fluoride catalysts and mechanical alloying”
J. Alloys Comp., 389 [1-2] (2005), 270-274
5. K. Ota, W.J. Botta F., G. Vaughan and A.R. Yavari
“Glass transition T_g , thermal expansion, and quenched-in free volume ΔV_f in pyrex glass measured by time-resolved X-ray diffraction ”
J. Alloys Comp., 388 [1](2005), L1-L3

【研究計画】

During the research periods in Inoue Research Group in IFCAM, IMR, Tohoku University, Prof. Yavari and Prof. Botta are partially cooperated, and going to conduct their study the characteristics of the non-equilibrium materials, such as metallic glasses and nano-scale particles. Prof. Yavari is planning to study the following two research topics: (1) clarification of the

characteristics of the free volume in metallic glasses through diffraction experiments, and (2) fabrication the novel type of metallic glasses. As for the first topic, Prof. Yavari is going to measure the glass transition temperature by the experimental results using Synchrotron radiation, which is strongly contrast to the conventional technique with thermal analyses. The thermal expansion and relaxation of glassy materials are focused on, and their relationships to glass transition phenomenon will be studied. The research on the second topic will be made for Cu-based glassy alloys and their glass forming ability will be evaluated. The reason for selecting Cu-based glassy alloys is that only a few Cu-based glassy alloys have been found to date because of the difficulty of fabrication as a glassy alloy, although Cu-based alloys are one of the practical metallic materials. In addition, and the mechanism of formation as a glassy materials has not yet been clarified for Cu-based glassy alloys. As for the evaluation of the glass forming ability, the reduced glass transition temperature denoted by T_{rg} , which is obtainable by normalizing the glass transition temperature by its liquidus temperature, is going to be adopted for the Cu-based glassy alloys which will be obtained in this research. The T_{rg} is supposed to be compared with that for typical glassy alloys, and by summarizing the difference of the tendency of the glass forming ability, the mechanism of formation of Cu-based glassy alloys will be derived.

Prof. Botta Filho is going to make his research on fabricating the hydrogen absorption metallic materials in Mg-based alloys with cooperation of Prof. Yavari. As target materials, MgH_2 in nanometer-scale powder shape will be prepared, and hydrogen sorption behavior of the powder will be studied. In preparing alloys, some kinds of solid-reaction, a fluoride transfer reaction combined with a reaction due to mechanical alloying, will be utilized in this fabrication of the powders. After preparing the powder specimens, the precise analyses will be conducted for the alloys thus obtained with respect to structure, morphology, thermal stability and magnetic properties using transmission electron microscopy, differential scanning calorimetry and magnetization measurements. The applicability of the MgH_2 powders also will be evaluated in this research by comparing to the characteristics of the MgH_2 reported previously with respect to the temperature at which H-sorption rates are acceptable for applications.

IV. プロジェクト部：櫻井プロジェクト

【研究成果と計画】

In academic year 2004, Dr. Nagao's group continued the STM/LEEM investigation of the thin film Bi growth on the Si (111)- 7×7 surface to elucidate the mechanism of coverage-dependent phase transition of the Bi ultra-thin film. We concluded with the help of theory group in NIMS that the Bi film has a unique new phase, stable up to the film thickness of 4 monolayers. The bonding configuration of this phase is similar to black phosphorus which belongs to the same elemental group as Bi, but has been never observed in bulk Bi. (Ref.1) We hope that this new allotrope of Bi may possibly be accompanied with exotic electronic properties, realizing unique Bi properties. We plan to investigate it in the coming year, although Dr. Nagao left our group in September 2004 to take a position at NIMS, Tsukuba.

The main thrust of our group for last couple of years is Ge (105)/Si project mainly performed by

Dr. Fujikawa and his students. Realizing its rather complicated nature of the surface structure due to large charge transfer, they used high-performance atomic force microscopy (AFM) to nail down the details of its atomic structure in collaboration with Dr. Hasegawa's group at ISSP, University of Tokyo. (Ref.2). They found that the obtained AFM images documented the exact positions of the dangling bonds on the surface with the resolution even higher than the best STM images currently available. Furthermore, using the Kelvin force microscopy together with the AFM, an atomically-resolved potential map was successfully resolved on the surface, which renders additional support to the structure model which we propose. To our best knowledge, this is the first atomically resolved potential mapping obtained using this unique technique. These results nicely exemplify the power and usefulness of AFM in surface structure. This research was extended to further investigate hydrogen adsorption and they have found that the surface strain on this surface is controllable by the hydrogen adsorption. (PRL 94, 086105 (2005).) This work implies the possibility of strain control of Ge quantum dots on Si through adsorption. Use of "surface strain" as a controllable parameter in surface engineering will be our major area of research for the coming years. For instance, we plan to investigate in what degree we can modify the strain in the Ge films and nanostructures by adsorption in order to control mechanic and electronic properties of the Ge/Si system.

Highly challenging "growth of GaN on Si" was attempted by Dr. Yamada-Takamura's group using the UHV molecular beam epitaxy (MBE)-SPM system. GaN is grown on Si (111) by radio-frequency plasma-assisted MBE, and the growth front is studied using reflection high-energy electron diffraction (RHEED) and STM. By successfully documenting the optimum nucleation/growth conditions, well-defined surface reconstructions, i. e. GaN-(000-1)- 3×3 , 6×6 , and $c(6\times 12)$, are observed by STM after the additional Ga deposition at R.T., indicating the uniform N-polarity of the grown film. They have concluded that the initial GaN nucleation under N-rich conditions is crucial in order to grow mono-polar uniform GaN films on the Si substrate. (APL in press (2005)). We currently extend this GaN/Si system research to include ZrB₂ buffer layer for better GaN film growth. We also plan to study diamond surfaces by UHV non-contact-AFM.

Dr. Wu worked successfully to document the two dimensional nature of alkali metal adsorbate on the Si (111)- 7×7 surface at low coverage and formation of magic cluster upon the critical coverage of 4 atoms/unit cell.. This work was further augmented by low-temperature STM study to control the movements of alkali-metal atoms on the surface. These results were in complete agreement with the theoretical potential mapping and computer simulation of STM data by Kawazoe-Lab. (Ref.3) Dr. Wu left our group to take up a professorship at Institute of Physics, Chinese Academy of Sciences, Beijing in January 2005.

Halogen (Cl, F) etching of the GaN(000 $\pm$ 1) surface is being continuously studied in connection to its technological importance in device fabrication process by Dr. Fujikawa's group. This work is part of S. Kuwano's Ph.D. thesis research. They found, among others, that the Ga-rich condition is essential to efficient etching of the GaN surface using chlorine. (Ref.4)

In LEEM/STM study by Dr. Sadowski's group, well ordered bismuth films on Si (111) were used

as templates for the growth of thin organic films of pentacene. Making a good use of low-energy electron microscopy (LEEM) and STM, they found that pentacene nucleates on the Bi (001) substrate into a highly ordered, bulk-like crystalline layer, with the molecules “standing up” on the Bi surface, with the (001) plane as the growth front. Moreover, the Pn layer is aligned epitaxially with the Bi (001) surface having a “point-on-line” commensurate relation with the substrate, which is the first report on the epitaxial growth of pentacene. It was also found that the Pn/Bi (001) film crystallizes in the bulk-like structure directly from the first Pn layer, and that the diameter of the first-layer Pn islands exceeds as much as 200 μm , one of the largest pentacene islands reported up to date. (APL 86, 073109 (2005)) As an ongoing joint work with Professor Nakajima’s group in this area, perylene-3,4,9,10-tetracarboxylic dianhydride (PTCDA) thin film grown on the hydrogen-terminated, vicinal Si (111) substrate was investigated by UHV STM, and the possible adsorption model has been proposed, in which the long axis of the 2D unit cell of PTCDA matches the vector (6, 2) of the H-Si(111) surface, and PTCDA lattice has a point-on-line coincidence with the H-Si (111) lattice. (Ref.5) In the coming year we plan to extend our activities onto studying the growth mode, crystallographic and electronic transport properties of other organic thin films, such as perfluoropentacene, pentacene-quinone and rubrene.

We also note profitable collaboration in various research with Professor Chen’s group at IFCAM.

1. T. Nagao, J.T. Sadowski, M. Saito, S. Yaginuma, Y. Fujikawa, T. Kogure, T. Ohno, Y. Hasegawa, S. Hasegawa, and T. Sakurai
"Nanofilm allotrope and phase transformation of ultrathin Bi film on Si(111)- 7×7 ,"
Phys. Rev. Lett., 93, 105501 (2004).
2. T. Eguchi, Y. Fujikawa, K. Akiyama, T. An, M. Ono, T. Hashimoto, Y. Morikawa, K. Terakura, T. Sakurai, M. G. Lagally, and Y. Hasegawa
"Imaging of All Dangling Bonds and Their Potential on the Ge/Si(105) Surface by Noncontact Atomic Force Microscopy,"
Phys. Rev. Lett., 93, 266102 (2004).
3. Kehui Wu, A. I. Oreshkin, Y. Takamura, Y. Fujikawa, T. Nagao, T. Briere, V. Kumar, Y. Kawazoe, R. F. Dou, Q. K. Xue and T. Sakurai,
"Step-by-step cooling of a two-dimensional Na gas on the Si(111)-(7x7) surface,"
Phys. Rev. B, 70, 195417 (2004).
4. S. Kuwano, Q. Z. Xue, Y. Asano, Y. Fujikawa, Q. K. Xue, Koji S. Nakayama, T. Nagao, and T. Sakurai
"Bilayer-by-bilayer etching of 6H-GaN (0001) with Cl,"
Surf. Sci., 561, L213 (2004).
5. G. Sazaki, T. Fujino, J. T. Sadowski, N. Usami, T. Ujihara, K. Fujiwara, Y. Takahashi, E. Matsubara, T. Sakurai, and K. Nakajima
Epitaxial relation and island growth of perylene-3,4,9,10-tetracarboxylic dianhydride (PTCDA) thin film crystals on a hydrogen-terminated Si(111) substrate,"
J. Crys. Growth, 262, 196 (2004).

V. プロジェクト部：前川プロジェクト

【研究成果】

当プロジェクトでは、ナノ構造物質及びナノデバイスでの新しい量子現象の開発のための材料探索の指導原理の構築を行っている。2004 年度では、次の 2 テーマの研究を行った。

(1) 磁性ナノ構造物質のスピン依存伝導：

磁性体及び超伝導体で構成されたナノデバイスでは特異なスピン依存伝導現象が予想される。これは超伝導体中ではスピンと電荷が分離して選ばれたことによる。2004 年度は超伝導体中で予想されるスピン流についての詳しい研究を行い、強磁性／超伝導ナノ構造物質が新しいデバイスとして期待できることを示した。(Ref. **1, 2, 3**) また強磁性体を含むジョセフソン素子で量子コンピュータ用素子（キュービット）が可能であることを示した。

(2) 次世代エレクトロニクス材料としての遷移金属酸化物：

遷移金属酸化物は次世代のエレクトロニクス材料や環境調和型材料として注目されているがその基本的な物性研究では多くの課題を抱えている。そのため、遷移金属酸化物の電子状態をその基礎から議論し、問題を整理することは今後の研究にとって重要であると考えられる。このような目的で「遷移金属酸化物の物理」と題する教科書を完成させ、Springer 社（ドイツ）より出版した。(Ref. **5**) また特にこの教科書でも強調した電子の自由度の 1 つである軌道の観測法の実証を実験グループと行った。(Ref. **4**)

1. S. Maekawa

Spin-dependent transport in magnetic nanostructures.

J. Mag. Mag. Mater. **272-276** (2004), E1459-E1463

2. S. Takahashi and S. Maekawa

Spin injection and detection in F/N/F and F/S/F nanostructures.

J. Mag. Mag. Mater. **272-276** (2004), E1423-E1424

3. M. Ichimura, S. Takahashi, K. Ito, and S. Maekawa

Geometrical effect on spin current in magnetic nanostructures.

J. Appl. Phys., **95** (2004), 7255-7257

4. K. Ishii, T. Inami, K. Ohwada, K. Kuzushita, J. Mizuki, Y. Murakami, S. Ishihara, Y. Endoh, S. Maekawa, K. Hirota and Y. Moritomo

Resonant inelastic x-ray scattering study of the hole-doped manganites $\text{La}_{1-x}\text{Sr}_x\text{MnO}_3$ ($x = 0.2, 0.4$).

Phys. Rev. B, **70** (2004), 224437

5. S. Maekawa, T. Tohyama, S.E. Barnes, S. Ishihara, W. Koshibae and G. Khaliullin

“Physics of Transition Metal Oxides”

Springer Series in Solid-State Sciences, Vol. 144 (2004), ISBN: 3-540-21293-0