

Goto, T; Kimura, S; Okubo, S; Ohta, H; Motokawa, M

Metamagnetic transitions of Lu₂Cu₂O₅ studied by submillimeter-wave ESR measurement

Appl. Magn. Reson. 18 (2000) 463 – 468

00-IMR0055

Ma, YW; Watanabe, K; Awaji, S; Motokawa, M

J(c) enhancement of YBa₂Cu₃O₇ films on polycrystalline silver substrates by metalorganic chemical vapor deposition in high magnetic fields

Appl. Phys. Lett. 77 (2000) 3633 – 3635

00-IMR0056

Sugiyama, A; Morisaki, S; Mogi, I; Aogaki, R

Application of cyclic magnetometry to the analysis of electrochemical reaction in a high magnetic field

Electrochemistry 68 (2000) 771 – 778

00-IMR0057

Kaneko, T; Seto, T; Nanbu, T; Murase, S; Shimamoto, S; Awaji, S; Watanabe, K; Motokawa, M; Saito, T

Stability of Nb₃Sn wires with CuNb reinforcing stabilizer on cryocooled superconducting magnet

IEEE Trans. Appl. Supercond. 10 (2000) 1235 – 1238

00-IMR0058

Watanabe, K; Motokawa, M

Cryogenfree high field superconducting magnets

IEEE Trans. Appl. Supercond. 10 (2000) 489 – 494

00-IMR0059

Nojiri, H; Motokawa, M; Takahashi, K; Arai, M

30 T repeating pulsed field system for neutron diffraction

IEEE Trans. Appl. Supercond. 10 (2000) 534 – 537

00-IMR0060

Motokawa, M; Awaji, S; Miura, S; Hamai, M; Mogi, I; Watanabe, K

Construction of large scale bitter magnet and its application to crystal growth in levitating water

IEEE Trans. Appl. Supercond. 10 (2000) 905 – 908

00-IMR0061

Kato, H; Nomura, T; Ishizone, M; Kubota, H; Miyazaki, T; Motokawa, M

Magnetic properties of c-axis oriented SmFe₁₂/alpha-Fe nanocomposite films

J. Appl. Phys. 87 (2000) 6125 – 6127

00-IMR0062

Yanagiya, S; Sazaki, G; Durbin, SD; Miyashita, S; Nakajima, K; Komatsu, H; Watanabe, K; Motokawa, M

Effects of a magnetic field on the growth rate of tetragonal lysozyme crystals

J. Cryst. Growth 208 (2000) 645 – 650

00-IMR0049

Hamai, M; Mogi, I; Tagami, M; Awaji, S; Watanabe, K; Motokawa, M
Crystal growth of ammonium chloride in magnetic levitation conditions
 J. Cryst. Growth 209 (2000) 1013 – 1017
 00-IMR0063

Nojiri, H; Motokawa, M; Takeyama, S; Sato, T
Submillimeter wave ESR study of Cd_{1-x}MnxTe
 J. Cryst. Growth 214 (2000) 424 – 427
 00-IMR0064

Mashimo, T; Huang, X; Hirose, S; Makita, K; Kato, Y; Mitsudo, S; Motokawa, M
Magnetic properties of fully dense Sm₂Fe₁₇N_x magnets prepared by shock compression
 J. Magn. Magn. Mater. 210 (2000) 109 – 120
 00-IMR0065

Koyama, K; Yoshida, M; Nojiri, H; Sakon, T; Li, DX; Suzuki, T; Motokawa, M
Antiferromagnetic resonance and magnetic structure of GdAs
 J. Phys. Soc. Jpn. 69 (2000) 1521 – 1525
 00-IMR0068

Nojiri, H; Luther, S; Motokawa, M; Isobe, M; Ueda, Y
High frequency ESR investigation on dynamical charge disproportionation and spin gap excitation in NaV₂O₅
 J. Phys. Soc. Jpn. 69 (2000) 2291 – 2298
 00-IMR0069

Ajiro, Y; Asano, T; Inagaki, Y; Boucher, JP; Nojiri, H; Luther, S; Sakon, T; Motokawa, M
High-field, high-frequency ESR in the one-dimensional quantum spin systems
 J. Phys. Soc. Jpn. 69 (2000) 297 – 302
 00-IMR0066

Yoshida, M; Koyama, K; Sakon, T; Ochiai, A; Motokawa, M
Cyclotron resonance of LaSb
 J. Phys. Soc. Jpn. 69 (2000) 3629 – 3632
 00-IMR0070

Nojiri, H; Kageyama, H; Onizuka, K; Ueda, Y; Asano, T; Ajiro, Y; Motokawa, M
Submillimeter-wave ESR study on quantum spin systems
 J. Phys. Soc. Jpn. 69 (2000) 83 – 88
 00-IMR0067

Kitamura, N; Makihara, M; Hamai, M; Sato, T; Mogi, I; Awaji, S; Watanabe, K; Motokawa, M
Containerless melting of glass by magnetic levitation method
 Jpn. J. Appl. Phys. Part 2 – Lett. 39 (2000) L324 – L326
 00-IMR0071

Ma, YW; Watanabe, K; Awaji, S; Motokawa, M
New metalorganic chemical vapor deposition process in a high magnetic field for YBa₂Cu₃O₇
 Jpn. J. Appl. Phys. Part 2 – Lett. 39 (2000) L726 – L729
 00-IMR0072

Mogi, I; Watanabe, K; Motokawa, M
Magneto electropolymerization effects on hydrogen evolution from a polypyrrole electrode
Mater. Trans. JIM 41 (2000) 966 – 969
00-IMR0073

Asano, T; Nojiri, H; Inagaki, Y; Boucher, JP; Sakon, T; Ajiro, Y; Motokawa, M
ESR investigation on the breather mode and the spinon-breather dynamical crossover in Cu benzoate
Phys. Rev. Lett. 84 (2000) 5880 – 5883
00-IMR0074

Sakon, T; Sato, NK; Nakanishi, Y; Komatsubara, T; Motokawa, M
Temperature and field dependence of magnetization on UPd₂Al₃
Physica B 281 (2000) 240 – 241
00-IMR0075

Tateiwa, N; Kimura, N; Sakon, T; Motokawa, M; Aoki, H; Komatsubara, T
Low-temperature physical properties of U₃Pd₂₀Si₆
Physica B 281 (2000) 254 – 255
00-IMR0076

Sakon, T; Nakanishi, Y; Kubota, M; Suzuki, T; Motokawa, M
Magnetization measurements on CexLa_{1-x}Sb in static and pulsed magnetic fields
Physica B 281 (2000) 445 – 446
00-IMR0077

Koyama, K; Yoshida, M; Nojiri, H; Sakon, T; Motokawa, M; Li, DX; Suzuki, T
Magnetic resonance of GdAs
Physica B 281 (2000) 456 – 457
00-IMR0078

Noguchi, S; Okuda, K; Nojiri, H; Motokawa, M
Magnetic properties of Ce₃Ni₂Si₈
Physica B 281 (2000) 79 – 80
00-IMR0079

Deguchi, H; Sumoto, S; Yamamoto, S; Takagi, S; Nojiri, H; Motokawa, M
Magnetic properties of a Heisenberg spin-ladder Cu-2(C₅H₁₂N₂)₂Br-4
Physica B 284 (2000) 1599 – 1600
00-IMR0080

Hiroi, M; Sera, M; Nojiri, H; Kobayashi, N; Motokawa, M; Tanaka, H
Magnetic phase diagram of CsCuCl₃ studied by specific heat measurements
Physica B 284 (2000) 1605 – 1606
00-IMR0081

Ajiro, Y; Asano, T; Inagaki, Y; Boucher, JP; Luther, S; Nojiri, H; Motokawa, M
High-field ESR in one-dimensional quantum spin systems
Physica B 284 (2000) 1625 – 1626
00-IMR0082

Awaji, S; Watanabe, K; Motokawa, M; Wakuda, T; Okada, M

Stability for Ag sheathed Bi2Sr2CaCu2O8 tape coils under strong electromagnetic force state

Physica C

341 (2000) 2597 – 2598

00-IMR0083

Omiya, T; Matsukura, F; Dietl, T; Ohno, Y; Sakon, T; Motokawa, M; Ohno, H

Magnetotransport properties of (Ga,Mn)As investigated at low temperature and high magnetic field

Physica E

7 (2000) 976 – 980

00-IMR0084

Sakon, T; Motokawa, M

Electromechanical magnetization measurements at ultralow temperatures and high magnetic fields

Rev. Sci. Instrum.

71 (2000) 3474 – 3477

00-IMR0085
