

Yonenaga, I; Taishi, T; Huang, X; Hoshikawa, K

Dynamic characteristics of dislocations in highly boron-doped

J. Appl. Phys. 89 (2001) 5788 – 5790

01-IMR0153

Yonenaga, I; Motoki, K

Yield strength and dislocation mobility in plastically deformed bulk single-crystal

J. Appl. Phys. 90 (2001) 6539 – 6541

01-IMR0154

Yonenaga, I

Czochralski growth of heavily impurity doped crystals of GeSi

J. Cryst. Growth 226 (2001) 47 – 51

01-IMR0155

Yonenaga, I

Dislocation behavior in highly impurity-doped

J. Mater. Sci.-Mater. Electron. 12 (2001) 285 – 288

01-IMR0156

Yonenaga, I; Akashi, T; Goto, T

Thermal and electrical properties of Czochralski grown GeSi single

J. Phys. Chem. Solids 62 (2001) 1313 – 1317

01-IMR0157

Huang, XM; Taishi, T; Yonenaga, I; Hoshikawa, K

Dislocation-free Czochralski silicon crystal growth without dash

Jpn. J. Appl. Phys. Part 1 – Regul. 40 (2001) 12 – 17
Pap. Short Notes Rev. Pap.

01-IMR0158

Yonenaga, I; Nikolaev, A; Melnik, Y; Dmitriev, V

High-temperature hardness of bulk single-crystal

Jpn. J. Appl. Phys. Part 2 – Lett. 40 (2001) L426 – L427

01-IMR0159

Fukata, N; Kasuya, A; Suezawa, M

Vacancy formation energy of silicon determined by a new quenching

Jpn. J. Appl. Phys. Part 2 – Lett. 40 (2001) L854 – L856

01-IMR0160

Yonenaga, I; Lim, SH; Lee, CW; Shindo, D

Atomic arrangement of dislocation defects in GaAs by

Mater. Sci. Eng. A-Struct. Mater. 309 (2001) 125 – 128
Prop. Microstruct. Process.

01-IMR0161

Akashi, T; Yonenaga, I; Gunjishima, I; Goto, T

High temperature transport property of B- and P-doped GeSi single crystals prepared by a Czochralski method

Mater. Trans. 42 (2001) 1024 – 1027

01-IMR0162

Suezawa, M

Formation of defect complexes by electron-irradiation of hydrogenated crystalline

Phys. Rev. B 63 (2001) art. no. 035203 –

01-IMR0163

Suezawa, M

Hydrogen-related complexes formed by electron-irradiation of hydrogenated

Phys. Rev. B 63 (2001) art. no. 035203 –

01-IMR0164

Suezawa, M; Fukata, N; Takahashi, T; Saito, M; Yamada-Kaneta, H

Temperature dependence of vibrational spectra of H-point defect complexes and H-2 in*

Phys. Rev. B 64 (2001) Art. No. 085205 –

01-IMR0165

Yonenaga, I; Sakurai, M

Bond lengths in Ge_{1-x}Si_x crystalline alloys grown by the Czochralski

Phys. Rev. B 64 (2001) Art. No. 113206 –

01-IMR0166

Murin, LI; Markevich, VP; Suezawa, M; Lindstrom, JL; Kleverman, M; Hallberg, T

Early stages of oxygen clustering in hydrogenated Cz-Si: IR absorption

Physica B 302 (2001) 180 – 187

01-IMR0167

Mori, R; Fukata, N; Suezawa, M; Kasuya, A

Optical absorption spectra of Be-H and Zn-H complexes in

Physica B 302 (2001) 206 – 211

01-IMR0168

Langhanki, B; Greulich-Weber, S; Spaeth, JM; Markevich, VP; Murin, LI; Mchedlidze, T; Suezawa, M

Magnetic resonance studies of shallow donor centers in hydrogenated Cz-Si

Physica B 302 (2001) 212 – 219

01-IMR0169

Markevich, VP; Murin, LI; Hermansson, J; Kleverman, M; Lindstrom, JL; Fukata, N; Suezawa, M

C-s-H-2 defect in crystalline*

Physica B 302 (2001) 220 – 226

01-IMR0170

Fukata, N; Kasuya, A; Suezawa, M

Formation energy of vacancy in silicon determined by a new quenching

Physica B 308 (2001) 1125 – 1128

01-IMR0172

Yonenaga, I

“Thermo-mechanical stability of wide-bandgap semiconductors: high temperature hardness of SiC, AlN, GaN, ZnO and ZnSe”

Physica B 308 (2001) 1150 – 1152

01-IMR0173

Hourahine, B; Jones, R; Oberg, S; Briddon, PR; Markevich, VP; Newman, RC; Hermansson, J; Kleverman, M; Lindstrom, JL; Murin, LI; Fukata, N; Suezawa, M

Evidence for H-2() trapped by carbon impurities in*

Physica B 308 (2001) 197 – 201

01-IMR0174

Nakanishi, A; Fukata, N; Suezawa, M

Complexes of point defects and impurities in electron-irradiated CZ-Si doped with

Physica B 308 (2001) 216 – 219

01-IMR0175

Suezawa, M; Fukata, N; Saito, M; Yamada-Kaneta, H

Temperature dependences of line widths and peak positions of optical absorption peaks due to localized vibration of hydrogen Si

Physica B 308 (2001) 220 – 223

01-IMR0176

Suezawa, M; Takada, Y; Tamano, T; Taniguchi, R; Hori, F; Oshima, R

Complexes of point defects and hydrogen generated by electron-irradiation of hydrogenated Si at low temperatures

Physica B 308 (2001) 224 – 227

01-IMR0177

Suezawa, M; Fukata, N; Kasuya, A

Optical absorption peaks observed in electron-irradiated n-type

Physica B 308 (2001) 276 – 279

01-IMR0178

Mchedlidze, T; Fukata, N; Suezawa, M

Incorporation of oxygen or di-hydrogen in silicon monovacancy: spin-resonance study of defect excited state

Physica B 308 (2001) 321 – 324

01-IMR0179

Mchedlidze, T; Suezawa, M

New electron spin resonance spectra from iron-vacancy pair in silicon: II. Hyperfine interactions and isotopic effect

Physica B 308 (2001) 400 – 403

01-IMR0180

Mchedlidze, T; Suezawa, M

New electron spin resonance spectra from iron-vacancy pair in silicon: I. Defect with two values for the spin

Physica B 308 (2001) 421 – 423

01-IMR0181

Sato, Y; Takahashi, T; Suezawa, M

Properties of Cr in hydrogenated

Physica B 308 (2001) 434 – 437

01-IMR0182

Fukata, N; Saito, K; Suezawa, M

Optical absorption spectra of platinum-related defects in

Physica B 308 (2001) 438 – 441

01-IMR0183

Mchedlidze, T; Fukata, N; Suezawa, M

Modeling the subsurface region of Cz-Si wafers with properly fabricated bulk FZ-Si

Physica B 308 (2001) 474 – 476

01-IMR0184

Yonenaga, I; Nonaka, M; Fukata, N

Interstitial oxygen in GeSi

Physica B 308 (2001) 539 – 541

01-IMR0185

King, PJC; Yonenaga, I

Low temperature muonium behaviour in Cz-Si and

Physica B 308 (2001) 546 – 549

01-IMR0186

Yonenaga, I

Dislocation behavior in heavily impurity doped

Scr. Mater. 45 (2001) 1267 – 1272

01-IMR0187
