

Laboratory for Advanced Materials

2002

Jia, JF; Wang, JZ; Liu, X; Xue, QK; Li, ZQ; Kawazoe, Y; Zhang, SB

*Artificial nanocluster crystal: Lattice of identical Al clusters*

Appl. Phys. Lett.

80 (2002) 3186 – 3188

02-IMR0215

Ye, JH; Zou, ZG; Oshikiri, M; Matsushita, A; Shimoda, M; Imai, M; Shishido, T

*A novel hydrogen-evolving photocatalyst InVO<sub>4</sub> active under visible light irradiation*

Chem. Phys. Lett.

356 (2002) 221 – 226

02-IMR0684

Pang, SJ; Zhang, T; Asami, K; Inoue, A

*Bulk glassy Fe–Cr–Mo–C–B alloys with high corrosion resistance*

Corrosion Sci.

44 (2002) 1847 – 1856

02-IMR0432

Habazaki, H; Mitsui, H; Ito, K; Asami, K; Hashimoto, K; Mrowec, S

*Roles of aluminium and chromium in sulfidation and oxidation of sputter-deposited Al- and Cr-refractory metal alloys*

Corrosion Sci.

44 (2002) 285 – 301

00-04TC01062

Asami, K; Moriya, T; Hashimoto, K; Masumoto, T

*Roles of temperature and humidity in the oxidation of sputter-deposited Cu-Ta alloys in air*

Corrosion Sci.

44 (2002) 331 – 344

00-04TC01996

Hashimoto, K; Yamasaki, M; Meguro, S; Sasaki, T; Katagiri, H; Izumiya, K; Kumagai, N; Habazaki, H; Akiyama, E; Asami, K

*Materials for global carbon dioxide recycling*

Corrosion Sci.

44 (2002) 371 – 386

00-04TC01063

Ghany, NAA; Kumagai, N; Meguro, S; Asami, K; Hashimoto, K

*Oxygen evolution anodes composed of anodically deposited Mn–Mo–Fe oxides for seawater electrolysis*

Electrochim. Acta

48 (2002) 21 – 28

00-04TC01519

Saotome, Y; Imai, K; Shioda, S; Shimizu, S; Zhang, T; Inoue, A

*The micro-nanoformability of Pt-based metallic glass and the nanoforming of three-dimensional structures*

Intermetallics

10 (2002) 1241 – 1247

02-IMR0439

Sasaki, M; Yasui, K; Kohiki, S; Deguchi, H; Matsushima, S; Oku, M; Shishido, T

*Cu doping effects on optical and magnetic properties of In<sub>2</sub>O<sub>3</sub>*

J. Alloy. Compd.

334 (2002) 205 – 210

02-IMR0667

Berne, C; Sluiter, M; Pasturel, A

*Theoretical approach of phase selection in refractory metals and alloys*

J. Alloy. Compd. 334 (2002) 27 – 33

02-IMR0685

Yamamura, SI; Kim, HY; Kimura, H; Inoue, A; Arata, Y

*Thermal stabilities and discharge capacities of melt-spun Mg–Ni-based amorphous alloys*

J. Alloy. Compd. 339 (2002) 230 – 235

02-IMR0441

Oku, M; Shishido, T; Shinohara, T; Fukuda, T; Sun, Q; Kawazoe, Y; Wagatsuma, K

*Electronic structures of perovskite-type  $ScRh_3Bx$  ( $0 \leq x \leq 1$ ): X-ray photoelectron and nuclear magnetic resonance spectroscopies and ab initio band calculation*

J. Alloy. Compd. 339 (2002) 317 – 326

02-IMR0223

Amano, T; Isobe, H; Sakai, N; Shishido, T

*The effects of yttrium addition on high-temperature oxidation of heat-resistant alloy with sulfur*

J. Alloy. Compd. 344 (2002) 394 – 400

02-IMR0686

Yamaura, S; Kim, HY; Kimura, H; Inoue, A; Arata, Y

*Electrode properties of rapidly solidified  $Mg_{67}Ni_{23}Pd_{10}$  amorphous alloy*

J. Alloy. Compd. 347 (2002) 239 – 243

02-IMR0445

Zeng, Z; Mizuseki, H; Shimamura, K; Fukuda, T; Kawazoe, Y; Higashino, K

*Usefulness of experiments with model fluid for thermocapillary convection—effect of Prandtl number on two-dimensional thermocapillary convection*

J. Cryst. Growth 234 (2002) 272 – 278

02-IMR0231

Okada, S; Ogawa, M; Shishido, T; Iizumi, K; Kudou, K; Kanari, H; Nakajima, K; Rogl, P

*Crystal growth of  $REMn_2Si_2$  ( $RE = Y, Er$ ) by a Pb flux method*

J. Cryst. Growth 236 (2002) 617 – 620

02-IMR0036

Nakajima, K; Kusunoki, T; Azuma, Y; Usami, N; Fujiwara, K; Ujihara, T; Sazaki, G; Shishido, T

*Compositional variation in Si-rich SiGe single crystals grown by multi-component zone melting method using Si seed and source crystals*

J. Cryst. Growth 240 (2002) 373 – 381

02-IMR0038

Okada, S; Kudou, K; Mori, T; Iizumi, K; Shishido, T; Tanaka, T; Rogl, P

*Crystal growth and some properties of  $REMn_2Si_2$  ( $RE = Er, Tm, Yb, Lu$ ) compounds*

J. Cryst. Growth 244 (2002) 267 – 273

02-IMR0687

Hiromoto, S; Asami, K; Tsai, AP; Sumita, M; Hanawa, T

*Surface composition and anodic polarization behavior of zirconium-based amorphous alloys in a phosphate-buffered saline solution*

J. Electrochem. Soc. 149 (2002) B117 – B122

00-04TC00728

Asami, K; Pang, SJ; Zhang, T; Inoue, A

*Preparation and corrosion resistance of Fe-Cr-Mo-C-B-P bulk glassy alloys*

J. Electrochem. Soc.

149 (2002) B366 – B369

02-IMR0449

Yoshida, H; Shima, T; Takahashi, T; Kaneko, T; Suzuki, T; Kimura, HM; Asami, K; Inoue, A

*Magnetic properties of NiBi*

J. Magn. Magn. Mater.

239 (2002) 5 – 7

02-IMR0451

Yamaura, SI; Sasamori, KI; Kimura, H; Inoue, A; Zhang, YC; Arata, Y

*Hydrogen absorption of nanoscale Pd particles embedded in ZrO<sub>2</sub> matrix prepared from Zr-Pd amorphous alloys*

J. Mater. Res.

17 (2002) 1329 – 1334

02-IMR0456

Yamaura, S; Isogai, K; Kimura, H; Inoue, A

*Electrochemical and thermal properties of hydrogen-absorbed Mg<sub>67</sub>Ni<sub>28</sub>Pd<sub>5</sub> amorphous alloy*

J. Mater. Res.

17 (2002) 60 – 64

02-IMR0452

Pang, SJ; Zhang, T; Asami, K; Inoue, A

*Formation of bulk glassy Fe<sub>75-x-y</sub>CrxMoyC<sub>15</sub>B<sub>10</sub> alloys and their corrosion behavior*

J. Mater. Res.

17 (2002) 701 – 704

02-IMR0454

Ma, LQ; Wang, L; Guo, X; Zhang, T; Inoue, A

*Enhanced glass-forming ability and microhardness of Ti<sub>45</sub>Zr<sub>5</sub>Cu<sub>25</sub>Ni<sub>20</sub>Sn<sub>5</sub> amorphous alloy by addition of TiC particles*

J. Mater. Sci. Lett.

21 (2002) 1435 – 1437

02-IMR0459

Haruyama, O; Annoshita, N; Kimura, H; Nishiyama, N; Inoue, A

*Anomalous behavior of electrical resistivity in glass transition region of a bulk Pd<sub>40</sub>Ni<sub>40</sub>P<sub>20</sub> metallic glass*

J. Non-Cryst. Solids

312 (2002) 552 – 556

02-IMR0465

Ye, J; Zou, Z; Arakawa, H; Oshikiri, M; Shimoda, M; Matsushita, A; Shishido, T

*Correlation of crystal and electronic structures with photophysical properties of water splitting photocatalysts InMO<sub>4</sub> (M = V<sup>5+</sup>, Nb<sup>5+</sup>, Ta<sup>5+</sup>)*

J. Photochem. Photobiol. A-Chem. 148 (2002) 79 – 83

02-IMR0688

Majumder, C; Briere, T; Mizuseki, H; Kawazoe, Y

*Molecular resistance in a molecular diode: A case study of the substituted phenylethynyl oligomer*

J. Phys. Chem. A

106 (2002) 7911 – 7914

02-IMR0236

Saha, DK; Shishido, T; Ohshima, K

*X-ray diffraction study of atomic short-range order in Pt-15.0 at.% Cr alloy*

J. Phys. Soc. Jpn.

71 (2002) 2456 – 2458

02-IMR0689

Sembiring, T; Takahashi, M; Ota, K; Shishido, T; Ohshima, K

*A partial phase diagram of Pt-rich Pt–Mn alloys*

J. Phys. Soc. Jpn.

71 (2002) 2459 – 2465

02-IMR0690

Shishido, T; Ye, JH; Okada, S; Kudou, K; Oku, M; Obara, K; Sugawara, T; Yoshikawa, A; Ishizawa, Y; Ogawa, M; Iizumi, K; Higashi, I; Amano, T; Kohiki, S; Kawazoe, Y; Nakajima, K

*Boron–carbon atomic ratio dependence on the hardness and oxidation resistance of solid solutions of perovskite-type borocarbide  $YRh_3B_xC_{1-x}$  ( $0 \leq x \leq 1$ )*

Jpn. J. Appl. Phys. Part 1 – Regul. 41 (2002) 3031 – 3032  
Pap. Short Notes Rev. Pap.

02-IMR0045

Okada, S; Kudou, K; Mori, T; Iizumi, K; Shishido, T; Tanaka, T; Nakajima, K; Rogl, P

*REMn<sub>2</sub>Si<sub>2</sub> (RE = Y, Tb, Dy, Ho) single crystals grown from lead flux and magnetic properties*

Jpn. J. Appl. Phys. Part 2 – Lett. 41 (2002) L555 – L558

02-IMR0049

Wang, LM; Ma, LQ; Kimura, H; Inoue, A

*Amorphous forming ability and mechanical properties of rapidly solidified Al–Zr–LTM (LTM = Fe, Co, Ni and Cu) alloys*

Mater. Lett. 52 (2002) 47 – 52

02-IMR0475

Zhang, T; Inoue, A

*Formation and mechanical strength of bulk glassy alloys in Zr–Al–Co–Cu system*

Mater. Trans. 43 (2002) 1250 – 1253

02-IMR0502

Zhang, T; Inoue, A

*Thermal stability and mechanical properties of bulk glassy Cu–Zr–Ti–(Nb, Ta) alloys*

Mater. Trans. 43 (2002) 1367 – 1370

02-IMR0503

Pang, SJ; Zhang, T; Asami, K; Inoue, A

*Formation of bulk glassy Ni–(Co–)Nb–Ti–Zr alloys with high corrosion resistance*

Mater. Trans. 43 (2002) 1771 – 1773

02-IMR0507

Haruyama, O; Kimura, HM; Nishiyama, N; Inoue, A; Arai, J

*Electrical resistivity and Mossbauer studies for the structural relaxation process in Pd–Cu–Ni–P glasses*

Mater. Trans. 43 (2002) 1931 – 1936

02-IMR0511

Fujita, K; Inoue, A; Zhang, T; Nishiyama, N

*Anelastic behavior under tensile and shearing stresses in bulk metallic glasses*

Mater. Trans. 43 (2002) 1957 – 1960

02-IMR0514

Shen, BL; Kimura, H; Inoue, A; Omori, M; Okubo, A

*Preparation of Fe<sub>65</sub>Co<sub>10</sub>Ga<sub>5</sub>P<sub>12</sub>C<sub>4</sub>B<sub>4</sub> bulk glassy alloy with good soft magnetic properties by spark-plasma sintering of glassy powder*

Mater. Trans. 43 (2002) 1961 – 1965

02-IMR0515

Inoue, A; Kimura, H; Amiya, K

*Developments of aluminum- and magnesium-based nanophase high-strength alloys by use of melt quenching-induced metastable phase*

Mater. Trans.

43 (2002) 2006 – 2016

02-IMR0518

Pang, S; Zhang, T; Asami, K; Inoue, A

*Effects of chromium on the glass formation and corrosion behavior of bulk glassy Fe-Cr-Mo-C-B alloys*

Mater. Trans.

43 (2002) 2137 – 2142

02-IMR0520

Ma, LQ; Wang, LM; Zhang, T; Inoue, A

*Fabrication of bulk glassy Hf50Cu30Ni10Al10 alloy by copper Mold casting*

Mater. Trans.

43 (2002) 2357 – 2359

02-IMR0526

Yamaura, S; Hasegawa, M; Kimura, H; Inoue, A

*Effects of hydrogen on the mechanical properties of Ti50Ni25Cu25 metallic glass*

Mater. Trans.

43 (2002) 2543 – 2547

02-IMR0530

Hiromoto, S; Asami, K; Tsai, AP; Hanawa, T

*Surface characterization of amorphous Zr-Al-(Ni, Cu) alloys immersed in cell-culture medium*

Mater. Trans.

43 (2002) 261 – 266

00-04TC01047

Zhang, T; Inoue, A

*New glassy Zr-Al-Fe and Zr-Al-Co alloys with a large supercooled liquid region*

Mater. Trans.

43 (2002) 267 – 270

02-IMR0487

Ma, LQ; Wang, LM; Zhang, T; Inoue, A

*Bulk glass formation of Ti-Zr-Hf-Cu-M (M=Fe, Co, Ni) alloys*

Mater. Trans.

43 (2002) 277 – 280

02-IMR0488

Asami, K; Kikuchi, M

*Characterization of rust layers on weathering steels air-exposed for a long period*

Mater. Trans.

43 (2002) 2818 – 2825

00-04TC02502

Wada, T; Zhang, T; Inoue, A

*Formation, thermal stability and mechanical properties in Zr-Al-Co bulk glassy alloys*

Mater. Trans.

43 (2002) 2843 – 2846

02-IMR0533

Zhang, BP; Masumoto, H; Someno, Y; Goto, T

*Preparation of Au/SiO<sub>2</sub> nano-composite multilayers by helicon plasma sputtering and their optical properties*

Mater. Trans.

43 (2002) 2855 – 2859

02-IMR0602

- Hanawa, T; Hiromoto, S; Asami, K; Okuno, O; Asaoka, K  
*Surface oxide films on titanium alloys regenerated in Hanks' solution*  
Mater. Trans. 43 (2002) 3000 – 3004 00-04TC00835
- 
- Hanawa, T; Hiromoto, S; Asami, K; Ukai, H; Murakami, K  
*Surface modification of titanium utilizing a repassivation reaction in aqueous solutions*  
Mater. Trans. 43 (2002) 3005 – 3009 00-04TC01500
- 
- Hanawa, T; Hiromoto, S; Yamamoto, A; Kuroda, D; Asami, K  
*XPS characterization of the surface oxide film 316L stainless steel samples that were located in quasi-biological environments*  
Mater. Trans. 43 (2002) 3088 – 3092 00-04TC00361
- 
- Kuroda, D; Hanawa, T; Hiromoto, S; Katada, Y; Asami, K  
*Characterization of the surface oxide film of nickel-free austenitic stainless steel located in simulated body environments*  
Mater. Trans. 43 (2002) 3093 – 3099 00-04TC00606
- 
- Zhang, T; Yamamoto, T; Inoue, A  
*Formation, thermal stability and mechanical properties (CU0.6Zr0.3Ti0.1)(100-x)M-x (M=Fe, Co, Ni) bulk glassy alloys*  
Mater. Trans. 43 (2002) 3222 – 3226 02-IMR0535
- 
- Briere, TM; Sluiter, MHF; Kumar, V; Kawazoe, Y  
*Anomalous magnetic moments of Mn-13 and Mn-19 clusters*  
Mater. Trans. 43 (2002) 424 – 427 02-IMR0243
- 
- Bae, YC; Osanai, H; Ohno, K; Sluiter, M; Kawazoe, Y  
*All-electron mixed-basis calculation of structurally optimized titanium nitride clusters*  
Mater. Trans. 43 (2002) 482 – 484 02-IMR0244
- 
- Shen, BL; Kimura, H; Inoue, A  
*Structure and magnetic properties of Fe42.5Co42.5Nb7B8 nanocrystalline alloy*  
Mater. Trans. 43 (2002) 589 – 592 02-IMR0492
- 
- Zhang, T; Inoue, A  
*New bulk glassy Ni-based alloys with high strength of 3000 MPa*  
Mater. Trans. 43 (2002) 708 – 711 02-IMR0494
- 
- Matsushita, A; Naka, T; Takano, Y; Takeuchi, T; Shishido, T; Yamada, Y  
*Pseudogap and transport properties in Fe<sub>3-x</sub>V<sub>x</sub>Al<sub>y</sub> (x=0.5–1.05; y=0.95, 1.05)*  
Phys. Rev. B 65 (2002) Art. No. 075204 – 02-IMR0692

Mikami, M; Nakamura, S; Itoh, M; Nakajima, K; Shishido, T

*Lattice dynamics and dielectric properties of yttrium oxysulfide*

Phys. Rev. B

65 (2002) Art. No. 094302 –

02-IMR0053

---

Sluiter, MHF; Kumar, V; Kawazoe, Y

*Symmetry-driven phase transformations in single-wall carbon-nanotube bundles under hydrostatic pressure*

Phys. Rev. B

65 (2002) Art No. 161402 –

02-IMR0255

---

Briere, TM; Sluiter, MHF; Kumar, V; Kawazoe, Y

*Atomic structures and magnetic behavior of Mn clusters*

Phys. Rev. B

66 (2002) Art No. 064412 –

02-IMR0259

---

Kumar, AVA; Yashonath, S; Sluiter, M; Kawazoe, Y

*Rotational motion of methane within the confines of zeolite NaCaA: Molecular dynamics and ab initio calculations*

Phys. Rev. E

65 (2002) Art No. 011203 –

02-IMR0262

---

Kumar, V; Sluiter, MHF; Kawazoe, Y

*Structural and electronic transitions in single wall carbon nanotube bundles under pressure*

Physica B

323 (2002) 199 – 202

02-IMR0266

---

Sluiter, MHF; Kumar, V; Kawazoe, Y

*Electronic structure of single wall carbon nanotube bundles under compression as compared to graphite and hexagonal graphene stacking*

Physica B

323 (2002) 203 – 205

02-IMR0267

---

Nakajima, K; Usami, N; Fujiwara, K; Murakami, Y; Ujihara, T; Sazaki, G; Shishido, T

*Melt growth of multicrystalline SiGe with large compositional distribution for new solar cell applications*

Sol. Energy Mater. Sol. Cells

72 (2002) 93 – 100

02-IMR0054

---

Nakajima, K; Usami, N; Fujiwara, K; Murakami, Y; Ujihara, T; Sazaki, G; Shishido, T

*Growth and properties of SiGe multicrystals with microscopic compositional distribution for high-efficiency solar cells*

Sol. Energy Mater. Sol. Cells

73 (2002) 305 – 320

02-IMR0055

---

Oikawa, K; Kamiyama, T; Ikeda, S; Shishido, T; Yamaguchi, S

*Neutron powder diffraction studies on Ba<sub>3</sub>Ca<sub>1+x</sub>Nb<sub>2-x</sub>O<sub>9-3x/2</sub>-complex perovskite-type oxides*

Solid State Ion.

154 (2002) 641 – 646

02-IMR0358

---

Asami, K; Takada, Y; Okuno, O

*Adsorption of released ions from dental amalgams on titanium*

Surf. Interface Anal.

34 (2002) 144 – 147

00-04TC01944