

Fujiwara, T; Fujii, H; Uwatoko, Y; Koyama, K; Motokawa, M; Shigeoka, T

Dramatic change of the magnetic characteristics in YbMn₂Ge₂ under high pressures

Acta Phys. Pol. B 34 (2003) 1541 – 1544

03-IMR0056

Awaji, S; Ma, Y; Chen, WP; Maeda, H; Watanabe, K; Motokawa, M

*Magnetic field effects on synthesis process of high-*T*-*c* superconductors*

Curr. Appl. Phys. 3 (2003) 391 – 395

03-IMR0057

Watanabe, K; Awaji, S; Takahashi, K; Nishijima, G; Motokawa, A; Jikihara, K; Ishizuka, M; Sakuraba, J

First performance test of the cryogenfree hybrid magnet

IEEE Trans. Appl. Supercond. 13 (2003) 1632 – 1635

03-IMR0058

Oshima, Y; Ohta, H; Koyama, K; Motokawa, M; Yamamoto, HM; Kato, R; Tamura, M; Nishio, Y; Kajita, K

Fermi surface study of quasi-two-dimensional organic conductors by magnetooptical measurements

J. Phys. Soc. Jpn. 72 (2003) 143 – 148

03-IMR0059

Yoshida, M; Koyama, K; Shirakawa, M; Ochiai, A; Watanabe, K; Motokawa, M

Cyclotron resonance and magnetic resonance in GdSb

J. Phys. Soc. Jpn. 72 (2003) 1763 – 1767

03-IMR0063

Nojiri, H; Kageyama, H; Ueda, Y; Motokawa, M

ESR study on the excited state energy spectrum of SrCu₂(BO₃)₂ – A central role of multiple-triplet bound states

J. Phys. Soc. Jpn. 72 (2003) 3243 – 3253

03-IMR0064

Kudo, K; Noji, T; Koike, Y; Sakon, T; Motokawa, M; Nishizaki, T; Kobayashi, N

Anisotropic magnetic properties and anomalous thermal conductivity in the bc plane of the quasi-two-dimensional spin system Cu₃B₂O₆: Relation between the thermal conductivity and the spin state in magnetic fields

J. Phys. Soc. Jpn. 72 (2003) 569 – 575

03-IMR0060

Yoshida, M; Koyama, K; Canfield, PC; Cunningham, C; Nimori, S; Watanabe, K; Motokawa, M

Cyclotron resonance in PrSb

J. Phys. Soc. Jpn. 72 (2003) 705 – 708

03-IMR0061

Koyama, K; Sasaki, H; Kanomata, T; Watanabe, K; Motokawa, M

Magnetization measurements of weak itinerant electron ferromagnet Ni-Pt alloy

J. Phys. Soc. Jpn. 72 (2003) 767 – 768

03-IMR0062

Yoshida, M; Koyama, K; Motokawa, M

Cyclotron resonance experiments on rare-earth monpnictides

J. Phys.-Condes. Matter 15 (2003) S2119 – S2122

03-IMR0065

Mogi, I; Watanabe, K

Magnetoelectropolymerization effects on redox behavior of ferricyanide incorporated in polypyrrole films

Jpn. J. Appl. Phys. Part 2 – Lett. 42 (2003) L1397 – L1399

03-IMR0067

Mogi, I; Umeki, C; Takahashi, K; Awaji, S; Watanabe, K; Motokawa, M

Control of thermal convection in water by strong gradient magnetic fields

Jpn. J. Appl. Phys. Part 2 – Lett. 42 (2003) L715 – L717

03-IMR0066

Tomimatsu, T; Koyama, K; Yoshida, M; Li, DX; Motokawa, M

Observation of antiferromagnetic resonance affected by hyperfine interaction in GdBi

Phys. Rev. B 67 (2003) Art. No. 014406 –

03-IMR0068

Oshima, Y; Kimata, M; Kishigi, K; Ohta, H; Koyama, K; Motokawa, M; Nishikawa, H; Kikuchi, K; Ikemoto, I

Fermi surface study of quasi-one-dimensional metals using magneto-optical techniques

Phys. Rev. B 68 (2003) Art. No. 054526 –

03-IMR0069

Nakanishi, Y; Sakon, T; Motokawa, M; Ozawa, M; Suzuki, T; Yoshizawa, M

Elastic properties and phase diagram of the rare-earth monpnictide TbSb

Phys. Rev. B 68 (2003) Art. No. 144427 –

03-IMR0070

Yoshida, M; Koyama, K; Tomimatsu, T; Shirakawa, M; Ochiai, A; Motokawa, M

Doppler-shifted cyclotron resonance with Alfvén waves in LaSb

Physica B 329 (2003) 1092 – 1093

03-IMR0071

Asano, T; Nojiri, H; Inagaki, Y; Sakon, T; Boucher, JP; Ajiro, Y; Motokawa, M

ESR study of sine-Gordon excitations in $S = 1/2$ antiferromagnetic chain: copper benzoate

Physica B 329 (2003) 1213 – 1214

03-IMR0072

Watanabe, K; Awaji, S; Motokawa, M

Cryogenfree superconducting magnets

Physica B 329 (2003) 1487 – 1488

03-IMR0073

Sakon, T; Koyama, K; Motokawa, M; Nojiri, H; Asano, T; Ajiro, Y

Electron spin resonance measurements at ultralow temperatures

Physica B 329 (2003) 1629 – 1631

03-IMR0074

Yoshida, M; Koyama, K; Tomimatsu, T; Shirakawa, M; Ochiai, A; Motokawa, M

Observation of cyclotron resonance in CeSb

Physica B 329 (2003) 557 – 558

03-IMR0075

Makihara, Y; Fujii, H; Fujiwara, T; Watanabe, K; Takahashi, K; Koyama, K; Motokawa, M

Magneto-volume effect in the ground and field-induced states of Ce₂Fe₁₇

Physica B 329 (2003) 663 – 664

03-IMR0076

Nojiri, H; Tanaka, H; Kurniawan, B; Motokawa, M

Coexistence of gap-less and gapped excitations in NH₄CuCl₃

Physica B 329 (2003) 701 – 702

03-IMR0077

Maeda, H; Sastry, PVPSS; Trociewitz, UP; Schwartz, J; Ohya, K; Sato, M; Chen, WP; Watanabe, K; Motokawa, M

Effect of magnetic field strength in melt-processing on texture development and critical current density of Bi-oxide superconductors

Physica C-Superconductivity and Its Application 386 (2003) 115 – 121

03-IMR0078

Watanabe, K; Takahashi, K; Mogi, I; Nishijima, G; Awaji, S; Motokawa, M

Cryogen-free hybrid magnet for magnetic levitation

Physica C-Superconductivity and Its Application 386 (2003) 485 – 489

03-IMR0079

Oshima, Y; Ohta, H; Yamamoto, HM; Kato, R; Koyama, K; Motokawa, M

Magneto-optical measurements of BEDT-TTF salts containing supramolecular assemblies

Synth. Met. 133 (2003) 453 – 454

03-IMR0080

Kuroda, N; Sugimoto, T; Hagiwara, M; Hasanudin; Ueda, K; Tada, T; Uozaki, H; Toyota, N; Mogi, I; Watanabe, K; Motokawa, M

Electronic properties of Cs(2)TCNQ(3) crystals grown under magnetic field

Synth. Met. 133 (2003) 535 – 537

03-IMR0081

Ohta, H; Oshima, Y; Inagaki, Y; Okubo, S; Kimata, M; Motokawa, M; Mori, T

Magneto-optical measurements of beta-(BEDT-TTF)(2)AuI₂

Synth. Met. 135 (2003) 527 – 528

03-IMR0082

Oshima, Y; Ohta, H; Koyama, K; Motokawa, M; Nishikawa, H; Kikuchi, K; Ikemoto, I

Magneto-optical measurements of quasi-one-dimensional conductor (DMET)(2)I-3

Synth. Met. 135 (2003) 531 – 532

03-IMR0083

Kato, K; Oshima, K; Kambe, T; Nogami, Y; Sasaki, T; Motokawa, M; Kato, R

Fermi surface and low temperature structure in (DMET-TSeF)(2)Au(CN)(2)

Synth. Met. 135 (2003) 577 – 578

03-IMR0084