

Takata, Y; Tamasaku, K; Tokushima, T; Miwa, D; Shin, S; Ishikawa, T; Yabashi, M; Kobayashi, K; Kim, JJ; Yao, T; Yamamoto, T; Arita, M; Namatame, H; Taniguchi, M

A probe of intrinsic valence band electronic structure: Hard x-ray photoemission

Appl. Phys. Lett. 84 (2004) 4310 – 4312

04-IMR0274

Kato, H; Miyamoto, K; Sano, M; Yao, T

Polarity control of ZnO on sapphire by varying the MgO buffer layer thickness

Appl. Phys. Lett. 84 (2004) 4562 – 4564

04-IMR0275

Mori, T; Hanada, T; Morimura, T; Shin, K; Makino, H; Yao, T

Surface structure of InGaAs/InP(001) ordered alloy during and after growth

Appl. Surf. Sci. 237 (2004) 230 – 234

04-IMR0276

Kim, JJ; Makino, H; Yamazaki, K; Ino, A; Namatame, H; Taniguchi, M; Hanada, T; Cho, MW; Yao, T

Electronic structure of Ga_{1-x}Cr_xN investigated by photoemission spectroscopy

Curr. Appl. Phys. 4 (2004) 603 – 606

04-IMR0277

Park, SH; Chang, JH; Yang, M; Ahn, HS; Yi, SN; Goto, K; Cho, MW; Yao, T; Song, S

Photoluminescence linewidth broadening due to alloy/thickness fluctuation of Cd_xZn(1-x)Se/ZnSe triple quantum wells

Curr. Appl. Phys. 4 (2004) 607 – 610

04-IMR0278

Lee, JY; Chang, JH; Yang, M; Ahn, HS; Yi, SN; Goto, K; Godo, K; Makino, H; Cho, M; Yao, T; Song, JS

Optical characterization of CdTe/ZnSe fractional monolayer, structures grown by atomic layer epitaxy

Curr. Appl. Phys. 4 (2004) 611 – 614

04-IMR0279

Makino, H; Kim, JJ; Nakamura, T; Muro, T; Kobayashi, K; Yao, T

Soft x-ray magnetic circular dichroism of Cr-doped GaN

Curr. Appl. Phys. 4 (2004) 615 – 617

04-IMR0280

Vashaei, Z; Harada, C; Setiawan, A; Cho, MW; Yao, T

Structural characterization of Ga-doped Mg_{0.1}Zn_{0.9}O layers grown on ZnO/α-Al₂O₃ templates by P-MBE

Curr. Appl. Phys. 4 (2004) 618 – 620

04-IMR0281

Morimura, T; Mori, T; Cho, MW; Hanada, T; Yao, T

Optical anisotropy and surface morphology of InGaAs lattice-mismatched with GaAs(001)

Curr. Appl. Phys. 4 (2004) 621 – 624

04-IMR0282

- Oh, DC; Setiawan, A; Kim, JJ; Ko, H; Makino, H; Hanada, T; Cho, MW; Yao, T
Characterization of N-doped ZnO layers grown on (0001)GaN/Al₂O₃ substrates by molecular beam epitaxy
 Curr. Appl. Phys. 4 (2004) 625 – 629
 04-IMR0283
-
- Harada, C; Goto, H; Minegishi, T; Suzuki, T; Makino, H; Cho, MW; Yao, T
A surface sensitive optical method for the evaluation of processed ZnO: exploitation of LO phonon interaction
 Curr. Appl. Phys. 4 (2004) 633 – 636
 04-IMR0284
-
- Goto, A; Makino, H; Setiawan, A; Suzuki, T; Harada, C; Minegishi, T; Cho, MW; Yao, T
Reduction of dislocation density and improvement of optical quality in ZnO layers by MgO-buffer annealing
 Curr. Appl. Phys. 4 (2004) 637 – 639
 04-IMR0285
-
- Mori, T; Hanada, T; Morimura, T; Cho, MW; Yao, T
Optical anisotropy of GaNAs grown on GaAs(001) substrate
 Curr. Appl. Phys. 4 (2004) 640 – 642
 04-IMR0286
-
- Suzuki, T; Harada, C; Goto, H; Minegishi, T; Setiawan, A; Ko, HJ; Cho, MW; Yao, T
Relation between interdiffusion and polarity for MBE growth of GaN epilayers on ZnO substrates
 Curr. Appl. Phys. 4 (2004) 643 – 646
 04-IMR0287
-
- Minegishi, T; Suzuki, T; Harada, C; Goto, H; Cho, MW; Yao, T
Stress dependence on N/Ga ratio in GaN epitaxial films grown on ZnO substrates
 Curr. Appl. Phys. 4 (2004) 685 – 687
 04-IMR0288
-
- Sano, M; Miyamoto, K; Kato, H; Yao, T
Role of hydrogen in molecular beam epitaxy of ZnO
 J. Appl. Phys. 95 (2004) 5527 – 5531
 04-IMR0289
-
- Setiawan, A; Vashaei, Z; Cho, MW; Yao, T; Kato, H; Sano, M; Miyamoto, K; Yonenaga, I; Ko, HJ
Characteristics of dislocations in ZnO layers grown by plasma-assisted molecular beam epitaxy under different Zn/O flux ratios
 J. Appl. Phys. 96 (2004) 3763 – 3768
 04-IMR0290
-
- Oh, DC; Takai, T; Hanada, T; Cho, MW; Yao, T; Song, JS; Chang, JH; Lu, F
Deep-level-transient spectroscopy of heavily Al-doped ZnSe layers grown by molecular-beam epitaxy
 J. Appl. Phys. 96 (2004) 7332 – 7337
 04-IMR0290
-

Song, JS; Seo, SH; Oh, MH; Chang, JH; Cho, MW; Yao, T

Suppression of impurity interdiffusion in heteroepitaxy by inserting a low-temperature buffer layer in between the epilayer and the substrate

J. Cryst. Growth 261 (2004) 159 – 163

04-IMR0291

Song, JS; Choi, YC; Seo, SH; Oh, DC; Cho, MW; Yao, T; Oh, MH

Wet chemical cleaning process of GaAs substrate for ready-to-use

J. Cryst. Growth 264 (2004) 98 – 103

04-IMR0292

Miyamoto, K; Sano, M; Kato, H; Yao, T

High-electron-mobility ZnO epilayers grown by plasma-assisted molecular beam epitaxy

J. Cryst. Growth 265 (2004) 34 – 40

04-IMR0293

Kato, H; Sano, M; Miyamoto, K; Yao, T

High-quality ZnO epilayers grown on Zn-face ZnO substrates by plasma-assisted molecular beam epitaxy

J. Cryst. Growth 265 (2004) 375 – 381

04-IMR0295

Inoue, Y; Nagasawa, H; Sone, N; Ishino, K; Ishida, A; Fujiyasu, H; Kim, JJ; Makino, H; Yao, T; Sakakibara, S; Kuwabara, M

Fabrication and characterization of short period AlN/GaN quantum cascade laser structures

J. Cryst. Growth 265 (2004) 65 – 70

04-IMR0294

Chen, PP; Makino, H; Yao, T

MBE growth and properties of InN-based dilute magnetic semiconductors

J. Cryst. Growth 269 (2004) 66 – 71

04-IMR0296

Lee, HY; Yao, T

TiO₂(ZnS)/SiO₂ one-dimensional photonic crystals and a proposal for vertical micro-cavity resonators

J. Korean Phys. Soc. 44 (2004) 387 – 392

04-IMR0297

Koo, BH; Lee, CG; Chang, JH; Hanada, T; Makino, H; Yao, T; Park, YG; Shindo, D

Effect of growth interruption on the structural and optical properties of (100) InAs/InAlAs/InP nanostructures

J. Korean Phys. Soc. 45 (2004) S681 – S684

04-IMR0298

Park, SH; Chang, JH; Lee, JY; Kim, HS; Yang, M; Ahn, HS; Yi, SN; Oh, DC; Koo, BH; Yao, T

Characterization of high quality ZnTe heteroepitaxy layers using low temperature buffer layers

J. Korean Phys. Soc. 45 (2004) S767 – S770

04-IMR0299

- Oh, DC; Makino, H; Hanada, T; Cho, MW; Yao, T; Song, JS; Chang, JH; Lu, F
Investigation of radiative and nonradiative trap centers in ZnSe : Al layers grown by molecular beam epitaxy
J. Vac. Sci. Technol. B 22 (2004) 1475 – 1478
04-IMR0301
-
- Song, JS; Oh, DC; Makino, H; Hanada, T; Cho, MW; Yao, T; Park, YG; Shindo, D; Chang, JH
Reduction of stacking faults in the ZnSe/GaAs heterostructure with a low-temperature-grown ZnSe buffer layer
J. Vac. Sci. Technol. B 22 (2004) 607 – 610
04-IMR0300
-
- Taghavinia, N; Lerondel, G; Makino, H; Yao, T
Europium-doped yttrium silicate nanoparticles embedded in a porous SiO₂ matrix
Nanotechnology 15 (2004) 1549 – 1553
04-IMR0302
-
- Kim, H; Park, K; Min, B; Lee, JS; Cho, K; Kim, S; Han, HS; Hong, SK; Yao, T
Transmuted isotopes doped in neutron-irradiated ZnO thin films
Nucl. Instrum. Methods Phys. Res. Sect. B-Beam Interact. Mater. Atoms 217 (2004) 429 – 434
04-IMR0303
-
- Aliev, GN; Bingham, SJ; Wolverson, D; Davies, JJ; Makino, H; Ko, HJ; Yao, T
Optically detected magnetic resonance of epitaxial nitrogen-doped ZnO
Phys. Rev. B 70 (2004) Art. No. 115206 –
04-IMR0304
-
- Kim, JJ; Makino, H; Kobayashi, K; Takata, Y; Yamamoto, T; Hanada, T; Cho, MW; Ikenaga, E; Yabashi, M; Miwa, D; Nishino, Y; Tamasaku, K; Ishikawa, T; Shin, S; Yao, T
Hybridization of Cr 3d-N 2p-Ga 4s in the wide band-gap diluted magnetic semiconductor Ga_{1-x}Cr_xN
Phys. Rev. B 70 (2004) Art. No. 161315 –
04-IMR0305
-
- Takeuchi, T; Harada, Y; Tokushima, T; Taguchi, M; Takata, Y; Chainani, A; Kim, JJ; Makino, H; Yao, T; Yamamoto, T; Tsukamoto, T; Shin, S; Kobayashi, K
Doping-dependent changes in nitrogen 2p states in the diluted magnetic semiconductor Ga_{1-x}Cr_xN
Phys. Rev. B 70 (2004) Art. No. 245323 –
04-IMR0306
-
- Kato, H; Sano, M; Miyamoto, K; Yao, T; Zhang, BP; Wakatsuki, K; Segawa, Y
MBE growth of zn-polar ZnO on MOCVD-ZnO templates
Phys. Status Solidi B-Basic Res. 241 (2004) 2825 – 2829
04-IMR0309
-
- Priller, H; Bruckner, J; Gruber, T; Klingshirn, G; Kalt, H; Waag, SX; Ko, HJ; Yao, T
Comparison of linear and nonlinear optical spectra of various ZnO epitaxial layers and of bulk material obtained by different experimental techniques
Phys. Status Solidi B-Basic Res. 241 (2004) 587 – 590
04-IMR0307
-

Kato, H; Sano, M; Miyamoto, K; Yao, T

High-quality ZnO epilayers grown on Zn-polar ZnO substrates by plasma-assisted molecular beam epitaxy

Phys. Status Solidi B-Basic Res. 241 (2004) 612 – 615

04-IMR0308

Ishida, A; Inoue, Y; Nagasawa, H; Sone, N; Ishino, K; Kim, JJ; Makino, H; Yao, T; Kan, H; Fujiyasu, H
[(AlN)(1)/(GaN)(n1)](m)/(AlN)(n2)-based quantum wells for quantum-cascade-laser application

Physica E 21 (2004) 765 – 769

04-IMR0311

Taghavinia, N; Yao, T

ZnS nanocrystals embedded in SiO2 matrix

Physica E 21 (2004) 96 – 102

04-IMR0310

Chen, PP; Makino, H; Yao, T

MBE growth and magnetic properties of InMnN diluted magnetic semiconductor

Physica E 21 (2004) 983 – 986

04-IMR0312

Chen, PP; Makino, H; Yao, T

InMnN: a nitride-based diluted magnetic semiconductor

Solid State Commun. 130 (2004) 25 – 29

04-IMR0313

Setiawan, A; Ko, HJ; Hong, SK; Chen, YF; Yao, T

Study on MgO buffer in ZnO layers grown by plasma-assisted molecular beam epitaxy on Al2O3(0001) (vol 445, pg 213, 2003)

Thin Solid Films 461 (2004) 340 – 340

04-IMR0314