

Suzuki, TI; Ohtomo, A; Tsukazaki, A; Sato, F; Nishii, J; Ohno, H; Kawasaki, M

Hall and field-effect mobilities of electrons accumulated at a lattice-matched ZnO/ScAlMgO(4) heterointerface

Adv. Mater. 16 (2004) 1887 – 1890

04-IMR0333

Koida, T; Chichibu, SF; Uedono, A; Sota, T; Tsukazaki, A; Kawasaki, M

Radiative and nonradiative excitonic transitions in nonpolar (11(2)over-bar-0) and polar (000(1)over-bar) and (0001) ZnO epilayers

Appl. Phys. Lett. 84 (2004) 1079 – 1081

04-IMR0336

Shibuya, K; Ohnishi, T; Lippmaa, M; Kawasaki, M; Koinuma, H

Domain structure of epitaxial CaHfO3 gate insulator films on

Appl. Phys. Lett. 84 (2004) 2142 – 2144

04-IMR0337

Jung, CU; Yamada, H; Kawasaki, M; Tokura, Y

Magnetic anisotropy control of SrRuO3 films by tunable epitaxial

Appl. Phys. Lett. 84 (2004) 2590 – 2592

04-IMR0338

Tsukazaki, A; Ohtomo, A; Kawasaki, M; Makino, T; Chia, CH; Segawa, Y; Koinuma, H

Emission from the higher-order excitons in ZnO films grown by laser molecular-beam

Appl. Phys. Lett. 84 (2004) 3858 – 3860

04-IMR0339

Zhang, BP; Binh, NT; Wakatsuki, K; Segawa, Y; Yamada, Y; Usami, N; Kawasaki, M; Koinuma, H

Formation of highly aligned ZnO tubes on sapphire (0001)

Appl. Phys. Lett. 84 (2004) 4098 – 4100

04-IMR0028

Yoo, YZ; Sekiguchi, T; Chikyow, T; Kawasaki, M; Onuma, T; Chichibu, SF; Song, JH; Koinuma, H

V defects of ZnO thin films grown on Si as an ultraviolet optical

Appl. Phys. Lett. 84 (2004) 502 – 504

04-IMR0335

Kumigashira, H; Kobayashi, D; Hashimoto, R; Chikamatsu, A; Oshima, M; Nakagawa, N; Ohnishi, T; Lippmaa, M; Wadati, H; Fujimori, A; Ono, K; Kawasaki, M; Koinuma, H

Inherent charge transfer layer formation at La0.6Sr0.4FeO3/La0.6Sr0.4MnO3

Appl. Phys. Lett. 84 (2004) 5353 – 5355

04-IMR0340

Kimoto, K; Matsui, Y; Yamada, H; Kawasaki, M; Yu, X; Kaneko, Y; Tokura, Y

Atomic-scale characterization of perovskite superlattice using chemical lattice imaging and spatially resolved electron energy-loss spectroscopy

Appl. Phys. Lett. 84 (2004) 5374 – 5376

04-IMR0341

Ishii, Y; Sato, H; Sawa, A; Yamada, T; Akoh, H; Endo, K; Kawasaki, M; Tokura, Y

Precipitate-free films of $\text{La}_{1-x}\text{Sr}_x\text{MnO}_3$ grown on the substrates with artificial step

Appl. Phys. Lett. 85 (2004) 3800 – 3802

04-IMR0345

Sawa, A; Fujii, T; Kawasaki, M; Tokura, Y

Hysteretic current-voltage characteristics and resistance switching at a rectifying $\text{Ti}/\text{Pr}_{0.7}\text{Ca}_{0.3}\text{MnO}_3$ interface

Appl. Phys. Lett. 85 (2004) 4073 – 4075

04-IMR0346

Shibuya, K; Ohnishi, T; Lippmaa, M; Kawasaki, M; Koinuma, H

Single crystal SrTiO_3 field-effect transistor with an atomically flat amorphous CaHfO_3 gate

Appl. Phys. Lett. 85 (2004) 425 – 427

04-IMR0343

Makino, T; Segawa, Y; Yoshida, S; Tsukazaki, A; Ohtomo, A; Kawasaki, M

Gallium concentration dependence of room-temperature near-band-edge luminescence in n -type $\text{ZnO}:\text{Ga}$

Appl. Phys. Lett. 85 (2004) 759 – 761

04-IMR0344

Onuma, T; Chichibu, SF; Uedono, A; Yoo, YZ; Chikyow, T; Sota, T; Kawasaki, M; Koinuma, H

Reduced defect densities in the ZnO epilayer grown on Si substrates by laser-assisted molecular-beam epitaxy using a ZnS epitaxial buffer layer

Appl. Phys. Lett. 85 (2004) Art. No. 235586 – 5588

04-IMR0342

Ohtani, M; Makino, T; Yamamoto, K; Segawa, Y; Fukumura, T; Sakurada, H; Nishimura, J; Koinuma, H; Kawasaki, M

High-throughput characterization of linear and nonlinear optical properties in composition-spread $(\text{Sr,Ca})_{(2)}\text{CuO}_3$ thin-films

Appl. Surf. Sci. 223 (2004) 133 – 137

04-IMR0347

Terai, K; Lippmaa, M; Ahmet, P; Chikyow, T; Koinuma, H; Ohtani, M; Kawasaki, M

Fabrication of lattice-tunable $\text{Ba}_{1-x}\text{Sr}_x\text{TiO}_3$ buffers on a SrTiO_3

Appl. Surf. Sci. 223 (2004) 183 – 187

04-IMR0348

Okazaki, N; Okazaki, S; Higuma, H; Miyashita, S; Cho, Y; Nishimura, J; Fukumura, T; Kawasaki, M; Murakami, M; Yamamoto, Y; Matsumoto, Y; Koinuma, H; Hasegawa, T

Characterization of $\text{LiNb}_{1-x}\text{Ta}_x\text{O}_3$ composition-spread thin film by the scanning microwave microscope

Appl. Surf. Sci. 223 (2004) 196 – 199

04-IMR0349

Sumiya, M; Tsukazaki, A; Fuke, S; Ohtomo, A; Koinuma, H; Kawasaki, M

SIMS analysis of ZnO films co-doped with N and Ga by temperature gradient pulsed laser

Appl. Surf. Sci. 223 (2004) 206 – 209

04-IMR0350

Murakami, M; Matsumoto, Y; Nagano, M; Hasegawa, T; Kawasaki, M; Koinuma, H
Combinatorial fabrication and characterization of ferromagnetic Ti-Co-O
Appl. Surf. Sci. 223 (2004) 245 – 248

04-IMR0351

Fukumura, T; Yamada, Y; Toyosaki, H; Hasegawa, T; Koinuma, H; Kawasaki, M
Exploration of oxide-based diluted magnetic semiconductors toward transparent
Appl. Surf. Sci. 223 (2004) 62 – 67

04-IMR0352

Sugaya, H; Okazaki, S; Hasegawa, T; Okazaki, N; Nishimura, J; Fukumura, T; Kawasaki, M; Koinuma, H
Photo-induced magnetism in perovskite-type Mn oxides investigated by using combinatorial methodology
Appl. Surf. Sci. 223 (2004) 68 – 72

04-IMR0353

Kato, Y; Yokobayashi, H; Kasuya, A; Kagawa, M; Kawasaki, M
Oxygen-deficient anatase precipitated from high-temperature
J. Am. Ceram. Soc. 87 (2004) 166 – 169

04-IMR0354

Okabayashi, J; Ono, K; Mizuguchi, M; Oshima, M; Gupta, SS; Sarma, DD; Mizokawa, T; Fujimori, A; Yuri, M; Chen, CT; Fukumura, T; Kawasaki, M; Koinuma, H
X-ray absorption spectroscopy of transition-metal doped diluted magnetic semiconductors Zn(1-x)(M)xO
J. Appl. Phys. 95 (2004) 3573 – 3575

04-IMR0355

Yamada, Y; Toyosaki, H; Tsukazaki, A; Fukumura, T; Tamura, K; Segawa, Y; Nakajima, K; Aoyama, T; Chikyow, T; Hasegawa, T; Koinuma, H; Kawasaki, M
Epitaxial growth and physical properties of a room temperature ferromagnetic semiconductor: Anatase phase Ti1-xCoxO2
J. Appl. Phys. 96 (2004) 5097 – 5102

04-IMR0356

Kobayashi, D; Kumigashira, H; Oshima, M; Ohnishi, T; Lippmaa, M; Ono, K; Kawasaki, M; Koinuma, H
High-resolution synchrotron-radiation photoemission characterization for atomically-controlled SrTiO3(001) substrate surfaces subjected to various surface treatments
J. Appl. Phys. 96 (2004) 7183 – 7188

04-IMR0357

Takahashi, R; Matsumoto, Y; Kohno, T; Kawasaki, M; Koinuma, H
Fabrication of Nd1-xCaxBa2Cu3O7-delta (x=0-0.3) single crystalline films by tri-phase
J. Cryst. Growth 262 (2004) 308 – 312

04-IMR0358

Kumigashira, H; Horiba, K; Ohguchi, H; Kobayashi, D; Oshima, M; Nakagawa, N; Ohnishi, T; Lippmaa, M; Ono, K; Kawasaki, M; Koinuma, H
In situ photoemission spectroscopic study on La1-xSrMnO3 thin films grown by combinatorial laser-MBE
J. Electron Spectrosc. Relat. Phenom. 136 (2004) 31 – 36

04-IMR0359

Oshima, M; Kobayashi, D; Horiba, K; Ohguchi, H; Kumigashira, H; Ono, K; Nakagawa, N; Lippmaa, M; Kawasaki, M; Koinuma, H

In situ photoelectron spectroscopy of LaMnO₃ and La_{0.6}Sr_{0.4}MnO₃ thin films grown by laser molecular beam epitaxy

J. Electron Spectrosc. Relat. Phenom. 137–40 (2004) 145 – 149

04-IMR0360

R. Mathieu, A. Asamitsu, K. Takahashi, H. Yamada, M. Kawasaki, Z. Fang, N. Nagaosa, Y. Tokura

Anomalous Hall effect in Ca-doped SrRuO₃

J. Magn. Magn. Mater. 272–276 (2004) E785 – E786

04-IMR0362

Kumigashira, H; Horiba, K; Ohguchi, H; Oshima, M; Nakagawa, N; Lippmaa, M; Ono, K; Kawasaki, M; Koinuma, H

Surface electronic structures of terminating-layer-controlled La_{0.6}Sr_{0.4}MnO₃ thin films studied by in situ synchrotron-radiation photoemission spectroscopy

J. Magn. Magn. Mater. 272–76 (2004) 1120 – 1121

04-IMR0363

Kumigashira, H; Horiba, K; Ohguchi, H; Oshima, M; Nakagawa, N; Lippmaa, M; Ono, K; Kawasaki, M; Koinuma, H

In situ synchrotron-radiation study on La_{0.6}Sr_{0.4}MnO₃ thin angle-resolved photoemission films grown by laser molecular beam epitaxy

J. Magn. Magn. Mater. 272–76 (2004) 434 – 435

04-IMR0364

Horiba, K; Ohguchi, H; Kobayashi, D; Kumigashira, H; Oshima, M; Nakagawa, N; Lippmaa, M; Ono, K; Kawasaki, M; Koinuma, H

In situ Mn 2p–3d resonant photoemission study on La_{0.6}Sr_{0.4}MnO₃ epitaxial thin films grown by laser MBE

J. Magn. Magn. Mater. 272–76 (2004) 436 – 437

04-IMR0365

Zhang, BP; Binh, NT; Wakatsuki, K; Segawa, Y; Yamada, Y; Usami, N; Kawasaki, M; Koinuma, H

Pressure-dependent ZnO nanocrystal growth in a chemical vapor deposition

J. Phys. Chem. B 108 (2004) 10899 – 10902

04-IMR0047

Binh, NT; Zhang, BP; Liu, CY; Wakatsuki, K; Segawa, Y; Usami, N; Yamada, Y; Kawasaki, M; Koinuma, H

Structural and optical properties of ZnO epitaxial films grown on Al₂O₃ (1120) substrates by metalorganic chemical vapor deposition

Jpn. J. Appl. Phys. Part 1 – Regul. 43 (2004) 4110 – 4113
Pap. Short Notes Rev. Pap.

04-IMR0049

Terai, K; Ohnishi, T; Lippmaa, M; Koinuma, H; Kawasaki, M

Magnetic properties of strain-controlled SrRuO₃ thin

Jpn. J. Appl. Phys. Part 2 – Lett. 43 (2004) L227 – L229

04-IMR0366

Nishimura, J; Ohtomo, A; Ohkubo, A; Murakami, Y; Kawasaki, M

Controlled carrier generation at a polarity-discontinued perovskite

Jpn. J. Appl. Phys. Part 2 – Lett. 43 (2004) L1032 – L1034
Express Lett.

04-IMR0367

Shibuya, K; Ohnishi, T; Kawasaki, M; Koinuma, H; Lippmaa, M

Metallic LaTiO₃/SrTiO₃ superlattice films on the SrTiO₃ (100)

Jpn. J. Appl. Phys. Part 2 – Lett. 43 (2004) L1178 – L1180
Express Lett.

04-IMR0368

Atou, T; Kawasaki, M; Nakajima, S

Electronic transition of cobalt monoxide under

Jpn. J. Appl. Phys. Part 2 – Lett. 43 (2004) L1281 – L1283
Express Lett.

04-IMR0369

Kasai, J; Okazaki, N; Hasegawa, T; Togawa, Y; Sasagawa, T; Shimoyama, JI; Kishio, K; Ohtani, M; Fukumura, T; Kawasaki, M; Koinuma, H

Observation of compositional fluctuation by scanning superconducting quantum interference device (SQUID) microscope in superconducting La_{1.8}Sr_{0.2}CuO₄

Jpn. J. Appl. Phys. Part 2 – Lett. 43 (2004) L1327 – L1329
Express Lett.

04-IMR0370

Toyosaki, H; Fukumura, T; Yamada, Y; Nakajima, K; Chikyow, T; Hasegawa, T; Koinuma, H; Kawasaki, M

Anomalous Hall effect governed by electron doping in a room-temperature transparent ferromagnetic semiconductor

Nat. Mater. 3 (2004) 221 – 224

04-IMR0371

Ohtomo, A; Hwang, HY

A high mobility electron gas at the LaAlO₃/SrTiO₃ heterointerface

Nature 427 (2004) 423 – 426

04-IMR0372

Muller, DA; Nakagawa, N; Ohtomo, A; Grazul, JL; Hwang, HY

Atomic-scale imaging of nanoengineered oxygen vacancy profiles in

Nature 430 (2004) 657 – 661

04-IMR0373

Shimoda, K; Okuno, M; Syono, Y; Kikuchi, M; Fukuoka, K; Koyano, M; Katayama, S

Structural evolutions of an obsidian and its fused glass by shock-wave

Phys. Chem. Miner. 31 (2004) 532 – 542

04-IMR0374

Weng, HM; Yang, XP; Dong, JM; Mizuseki, H; Kawasaki, M; Kawazoe, Y

Electronic structure and optical properties of the Co-doped anatase TiO₂ studied from first

Phys. Rev. B 69 (2004) Art. No. 125219 –

04-IMR0209

Maeda, A; Ono, M; Kishida, H; Manako, T; Sawa, A; Kawasaki, M; Tokura, Y; Okamoto, H

Third-order nonlinear susceptibility spectra of CuO chain compounds investigated by the Z-scan method

Phys. Rev. B 70 (2004) Art. No. 125117 –

04-IMR0375

Odagawa, A; Sato, H; Inoue, IH; Akoh, H; Kawasaki, M; Tokura, Y; Kanno, T; Adachi, H

Colossal electroresistance of a Pr_{0.7}Ca_{0.3}MnO₃ thin film at room

Phys. Rev. B 70 (2004) Art. No. 224403 –

04-IMR0376

Mathieu, R; Asamitsu, A; Yamada, H; Takahashi, KS; Kawasaki, M; Fang, Z; Nagaosa, N; Tokura, Y
Scaling of the anomalous Hall effect in
Phys. Rev. Lett. 93 (2004) Art. No. 016602 –

04-IMR0377

Yoo, JH; Murakami, Y; Shindo, D; Atou, T; Kikuchi, M
Interaction of separated ferromagnetic domains in a hole-doped manganite achieved by a magnetic field
Phys. Rev. Lett. 93 (2004) Art. No. 047204 –

04-IMR0378

Matsuno, J; Okimoto, Y; Fang, Z; Yu, XZ; Matsui, Y; Nagaosa, N; Kawasaki, M; Tokura, Y
Metallic ferromagnet with square-lattice CoO₂
Phys. Rev. Lett. 93 (2004) Art. No. 167202 –

04-IMR0379

Horiba, K; Taguchi, M; Chainani, A; Takata, Y; Ikenaga, E; Miwa, D; Nishino, Y; Tamasaku, K; Awaji, M; Takeuchi, A; Yabashi, M; Namatame, H; Taniguchi, M; Kumigashira, H; Oshima, M; Lippmaa, M; Kawasaki, M; Koinuma, H; Kobayashi, K; Ishikawa, T; Shin, S
Nature of the well screened state in hard X-ray Mn 2p core-level photoemission measurements of La_{1-x}Sr_xMnO₃ films
Phys. Rev. Lett. 93 (2004) Art. No. 236401 –

04-IMR0380

Koida, T; Uedono, A; Tsukazaki, A; Sota, T; Kawasaki, M; Chichibu, SF
Direct comparison of photoluminescence lifetime and defect densities in ZnO epilayers studied by time-resolved photoluminescence and slow positron annihilation techniques
Phys. Status Solidi A-Appl. Res. 201 (2004) 2841 – 2845

04-IMR0381

Yun, KS; Arisawa, S; Kim, SJ; Ishii, A; Takano, Y; Hatano, T; Yamashita, T; Kawasaki, M; Koinuma, H
Preparation and properties of NdBa₂Cu₃O_{7-y} grain boundary Josephson junctions on bicrystal MgO substrates by tri-phase epitaxy
Physica C-Superconductivity and Its Application 412-14 (2004) 1391 – 1395

04-IMR0382

Matsuzawa, H; Tamaki, H; Ohashi, W; Kakimoto, E; Dohke, K; Atou, T; Fukuoka, K; Kikuchi, M; Kawasaki, M; Takano, Y
Shock wave consolidated MgB₂ bulk
Physica C-Superconductivity and Its Application 412-14 (2004) 619 – 622

04-IMR0383

Makino, T; Ohtomo, A; Chia, CH; Segawa, Y; Koinuma, H; Kawasaki, M
Internal electric field effect on luminescence properties of ZnO/(Mg,Zn)O quantum
Physica E 21 (2004) 671 – 675

04-IMR0384

Hossain, FM; Nishii, J; Takagi, S; Sugihara, T; Ohtomo, A; Fukumura, T; Koinuma, H; Ohno, H; Kawasaki, M
Modeling of grain boundary barrier modulation in ZnO invisible thin film
Physica E 21 (2004) 911 – 915

04-IMR0385

Hwang, HY; Ohtomo, A; Nakagawa, N; Muller, DA; Grazul, JL

High-mobility electrons in SrTiO₃

Physica E-Low-Dimensional 22 (2004) 712 – 716

Systems & Nanostructures

04-IMR0386

Yamada, H; Ogawa, Y; Ishii, Y; Sato, H; Kawasaki, M; Akoh, H; Tokura, Y

Engineered interface of magnetic

Science 305 (2004) 646 – 648

04-IMR0387

Tamaki, H; Ohashi, W; Kitazawa, H; Matsuzawa, H; Takano, Y; Atou, T; Fukuoka, K; Kikuchi, M; Kawasaki, M; Kakimoto, E; Dohke, K

Anisotropic grain connectivity in shock consolidated MgB₂ bulk

Supercond. Sci. Technol. 17 (2004) 799 – 803

04-IMR0388