

Somekawa, H; Tanaka, T; Sasaki, H; Kita, K; Inoue, A; Higashi, K

Diffusion bonding in ultra fine-grained Al-Fe alloy indicating high-strain-rate

Acta Mater. 52 (2004) 1051 – 1059

04-IMR0390

Inoue, A; Shen, BL; Koshiba, H; Kato, H; Yavari, AR

Ultra-high strength above 5000 MPa and soft magnetic properties of Co-Fe-Ta-B bulk glassy

Acta Mater. 52 (2004) 1631 – 1637

04-IMR0391

Hasegawa, M; Takeuchi, M; Kato, H; Inoue, A

Effects of a small amount of Si or Ge addition on stability and hydrogen-induced internal friction of Ti₃₄Zr₁₁Cu₄₇Ni₈ glassy alloys

Acta Mater. 52 (2004) 1799 – 1806

04-IMR0392

Kim, HS; Kato, H; Inoue, A; Chen, HS

Finite element analysis of compressive deformation of bulk metallic

Acta Mater. 52 (2004) 3813 – 3823

04-IMR0393

Inoue, A; Shen, BL; Chang, CT

Super-high strength of over 4000 MPa for Fe-based bulk glassy alloys in [(Fe_{1-x}CO_x)(0.75)B_{0.2}Si_{0.05}](96)Nb-4 system

Acta Mater. 52 (2004) 4093 – 4099

04-IMR0394

Bian, Z; Wang, RJ; Wang, WH; Zhang, T; Inoue, A

Carbon-nanotube-reinforced Zr-based bulk metallic glass composites and their

Adv. Funct. Mater. 14 (2004) 55 – 63

04-IMR0395

Inoue, A; Shen, BL

A new Fe-based bulk glassy alloy with outstanding mechanical

Adv. Mater. 16 (2004) 2189 –

04-IMR0396

Louzguine, DV; Kato, H; Inoue, A

High-strength Cu-based crystal-glassy composite with enhanced

Appl. Phys. Lett. 84 (2004) 1088 – 1089

04-IMR0397

Kato, H; Inoue, A; Saida, J

Influences of hydrostatic pressure during casting and Pd content on as-cast phase in Zr-Al-Ni-Cu-Pd bulk alloys

Appl. Phys. Lett. 85 (2004) 2205 – 2207

04-IMR0398

Louzguine, DV; Sobu, S; Inoue, A

The influence of scandium in effecting fragile to strong glass transition in aluminium-based
Appl. Phys. Lett. 85 (2004) 3758 – 3759

04-IMR0399

Shen, BL; Inoue, A; Chang, CT

Superhigh strength and good soft-magnetic properties of (Fe, Co)-B-Si-Nb bulk glassy alloys with high glass-forming ability
Appl. Phys. Lett. 85 (2004) 4911 – 4913

04-IMR0400

Zhang, W; Louzguine, DV; Inoue, A

Synthesis and magnetic properties of Fe-Pt-B nanocomposite permanent magnets with low Pt concentrations
Appl. Phys. Lett. 85 (2004) 4998 – 5000

04-IMR0401

Nakano, S; Yamaura, S; Uchinashi, S; Kimura, H; Inoue, A

Application of a hydrogen storage alloy with an amorphous phase for sensing
Chem. Lett. 33 (2004) 1520 – 1521

04-IMR0402

Li, FS; Zhang, T; Inoue, A; Guan, SK; Shen, NF

(Fe,Co)-Zr-Nd-B bulk amorphous alloys with good soft magnetic
Intermetallics 12 (2004) 1139 – 1142

04-IMR0403

Wu, SS; Shen, BL; Inoue, A

Preparation and properties study of bulk Fe_{75.5}Ga₃P_{10.5}C₄B₄Si₃ metallic glass ring by copper mold casting
Intermetallics 12 (2004) 1261 – 1264

04-IMR0404

Hasegawa, M; Kotani, K; Yamaura, S; Kato, H; Kodama, I; Inoue, A

Hydrogen-induced internal friction of Zr-based bulk glassy alloys in a rod shape above 90
J. Alloy. Compd. 365 (2004) 221 – 227

04-IMR0405

Hasegawa, M; Takeuchi, M; Kato, H; Yamaura, S; Inoue, A

Stability and hydrogen-induced internal friction of Ti-rich multicomponent glassy
J. Alloy. Compd. 372 (2004) 116 – 120

04-IMR0406

Louzguine, DV; Kato, H; Inoue, A

High strength and ductile bulk Ti-Ni-Cu-Nb alloy with submicron-size structure units obtained by arc-melting
J. Alloy. Compd. 375 (2004) 171 – 174

04-IMR0407

Louzguine, DV; Kato, H; Inoue, A

High strength and ductile binary Ti-Fe composite
J. Alloy. Compd. 384 (2004) L1 – L3

04-IMR0408

- Bitoh, T; Makino, A; Inoue, A
The effect of grain-size distribution on coercivity in nanocrystalline soft magnetic
J. Magn. Magn. Mater. 272-76 (2004) 1445 – 1446
04-IMR0412
-
- Mitra, A; Kim, HY; Louzguine, DV; Nishiyama, N; Shen, B; Inoue, A
Structure and magnetic properties of amorphous and nanocrystalline Fe₄₀Co₄₀Cu_{0.5}Zr₉Al₂Si₄B_{4.5} alloys
J. Magn. Magn. Mater. 278 (2004) 299 – 305
04-IMR0413
-
- Sharma, P; Gupta, A; Owens, FJ; Inoue, A; Rao, KV
Room temperature spintronic material – Mn-doped ZnO
J. Magn. Magn. Mater. 282 (2004) 115 – 121
04-IMR0414
-
- Bian, Z; Zhang, T; Kato, H; Hasegawa, M; Inoue, A
Mechanical properties and fracture characteristics of Zr-based bulk metallic glass composites containing carbon nanotube addition
J. Mater. Res. 19 (2004) 1068 – 1076
04-IMR0415
-
- Yuan, GY; Amiya, K; Kato, H; Inoue, A
Structure and mechanical properties of cast quasicrystal-reinforced Mg-Zn-Al-Y base
J. Mater. Res. 19 (2004) 1531 – 1538
04-IMR0416
-
- Inoue, A; Sobu, S; Louzguine, DV; Kimura, H; Sasamori, K
Ultrahigh strength Al-based amorphous alloys containing
J. Mater. Res. 19 (2004) 1539 – 1543
04-IMR0417
-
- Shen, BL; Inoue, A
Soft magnetic properties of bulk nanocrystalline Fe-Co-B-Si-Nb-Cu alloy with high saturated magnetization of 1.35 T
J. Mater. Res. 19 (2004) 2549 – 2552
04-IMR0418
-
- Louzguine, DV; Kato, H; Louzguina, LV; Inoue, A
High-strength binary Ti-Fe bulk alloys with enhanced
J. Mater. Res. 19 (2004) 3600 – 3606
04-IMR0419
-
- Basu, J; Louzguine, DV; Inoue, A; Ranganathan, S
Synthesis and devitrification of glassy Zr-Ti-Ni and Zr-Hf-Ni ternary
J. Non-Cryst. Solids 334 (2004) 270 – 275
04-IMR0420
-
- Louzguine, DV; Inoue, A
Devitrification of Ni-based glassy alloys containing noble metals in relation with the supercooled liquid region
J. Non-Cryst. Solids 337 (2004) 161 – 165
04-IMR0421
-

Takeuchi, A; Inoue, A

Thermodynamic and kinetic analyses of formation of amorphous and nanocrystalline alloys with the aid of computer and database

J. Optoelectron. Adv. Mater. 6 (2004) 533 – 540

04-IMR0422

Lupu, N; Chiriac, H; Greneche, JM; Inoue, A

Atomic ordering and magnetic properties in Nd₅₀Fe₄₀Al₁₀ glassy hard

J. Optoelectron. Adv. Mater. 6 (2004) 615 – 618

04-IMR0423

Hasegawa, M; Suzuki, S; Ohsuna, T; Matsubara, E; Endo, S; Inoue, A

The crystal structure and electronic properties of a new metastable non-stoichiometric BaAl₁₄-type compound crystallized from amorphous La₆Ni₃₄Ge₆₀ alloy

J. Phys.-Condes. Matter 16 (2004) 7917 – 7930

04-IMR0320

Kato, H; Inoue, A; Chen, HS

A fictive stress model calculation of creep deformation of Zr-based bulk metallic glass in the glass transition region under a constant load

Jpn. J. Appl. Phys. Part 1 – Regul. 43 (2004) 8185 – 8189
Pap. Short Notes Rev. Pap.

04-IMR0424

Yuan, GY; Zhang, T; Inoue, A

Structure and mechanical properties of Mg₈₅Cu₅Zn₅Y₅ amorphous alloy containing nanoscale particles

Mater. Lett. 58 (2004) 3012 – 3016

04-IMR0425

Ouyang, LJ; Louzguine, DV; Kimura, HM; Ohsuna, T; Inoue, A

Devitrification of Zr-Ni-Al-Cu-Ti(Nb, Ta) glassy

Mater. Res. Bull. 39 (2004) 1347 – 1352

04-IMR0426

Takeuchi, A; Inoue, A

Size dependence of soft to hard magnetic transition in (Nd, Pr)-Fe-Al bulk amorphous

Mater. Sci. Eng. A-Struct. Mater. 375-77 (2004) 1140 – 1144
Prop. Microstruct. Process.

04-IMR0427

Inoue, A; Takeuchi, A

Recent progress in bulk glassy, nanoquasicrystalline and nanocrystalline

Mater. Sci. Eng. A-Struct. Mater. 375-77 (2004) 16 – 30
Prop. Microstruct. Process.

04-IMR0428

Yavari, AR; de Oliveira, MF; Kiminami, CS; Inoue, A; Botta, WJF

Electromechanical shaping, assembly and engraving of bulk metallic

Mater. Sci. Eng. A-Struct. Mater. 375-77 (2004) 227 – 234
Prop. Microstruct. Process.

04-IMR0429

Asami, K; Qin, CL; Zhang, T; Inoue, A

Effect of additional elements on the corrosion behavior of a Cu-Zr-Ti bulk metallic

Mater. Sci. Eng. A-Struct. Mater. 375-77 (2004) 235 – 239
Prop. Microstruct. Process.

04-IMR0430

Haruyama, O; Annoshita, N; Nishiyama, N; Kimura, HM; Inoue, A
Electrical resistivity behavior in Pd-Cu-Ni-P metallic glasses and
Mater. Sci. Eng. A-Struct. Mater. 375-77 (2004) 288 – 291
Prop. Microstruct. Process. 04-IMR0431

Haruyama, O; Tando, A; Kimura, HM; Nishiyama, N; Inoue, A
Structural relaxation in Pd-Cu-Ni-P metallic
Mater. Sci. Eng. A-Struct. Mater. 375-77 (2004) 292 – 296
Prop. Microstruct. Process. 04-IMR0432

Inoue, A; Shen, BL
New Fe-based bulk glassy alloys with high saturated magnetic flux density of 1.4-1.5
Mater. Sci. Eng. A-Struct. Mater. 375-77 (2004) 302 – 306
Prop. Microstruct. Process. 04-IMR0433

Louzguine, DV; Inoue, A
Influence of a supercooled liquid on devitrification of Cu-, Hf- and Ni-based metallic
Mater. Sci. Eng. A-Struct. Mater. 375-77 (2004) 346 – 350
Prop. Microstruct. Process. 04-IMR0434

Nishiyama, N; Inoue, A
Simultaneous and different nucleation modes in undercooled Pd-Cu-Ni-P
Mater. Sci. Eng. A-Struct. Mater. 375-77 (2004) 359 – 363
Prop. Microstruct. Process. 04-IMR0435

Okai, D; Fukami, T; Yamasaki, T; Zhang, T; Inoue, A
Temperature dependence of heat capacity and electrical resistivity of Zr-based bulk glassy
Mater. Sci. Eng. A-Struct. Mater. 375-77 (2004) 364 – 367
Prop. Microstruct. Process. 04-IMR0436

Revesz, A; Uriarte, JL; Louzguine, D; Inoue, A; Surinach, S; Baro, MD; Yavari, AR
Thermal properties of Hf-based metallic
Mater. Sci. Eng. A-Struct. Mater. 375-77 (2004) 381 – 384
Prop. Microstruct. Process. 04-IMR0437

Saotome, Y; Noguchi, Y; Zhang, T; Inoue, A
Characteristic behavior of Pt-based metallic glass under rapid heating and its application to microforming
Mater. Sci. Eng. A-Struct. Mater. 375-77 (2004) 389 – 393
Prop. Microstruct. Process. 04-IMR0438

Yokoyama, Y; Abe, N; Fukaura, K; Shinohara, T; Inoue, A
Electron-beam welding of Zr50Cu30Ni10Al10 bulk glassy
Mater. Sci. Eng. A-Struct. Mater. 375-77 (2004) 422 – 426
Prop. Microstruct. Process. 04-IMR0439

Yokoyama, Y; Fukaura, K; Inoue, A
Formation and mechanical properties of Zr-Cu-Al bulk glassy
Mater. Sci. Eng. A-Struct. Mater. 375-77 (2004) 427 – 431
Prop. Microstruct. Process. 04-IMR0440

- Zhang, T; Inoue, A
Formation, thermal and mechanical properties of bulk glassy alloys in Zr-Al-Co and Zr-Al-Co-Cu systems
Mater. Sci. Eng. A-Struct. Mater. 375-77 (2004) 432 – 435
Prop. Microstruct. Process. 04-IMR0441
-
- Kato, H; Matsubara, E; Inoue, A; Nishiyama, N; Chen, HS
Heat of evolution and structural analysis on the non-Newtonian viscous flow of Pd40Ni40P20 glassy alloy
Mater. Sci. Eng. A-Struct. Mater. 375-77 (2004) 444 – 448
Prop. Microstruct. Process. 04-IMR0325
-
- Takeuchi, A; Inoue, A
Calculations of dominant factors of glass-forming ability for metallic glasses from
Mater. Sci. Eng. A-Struct. Mater. 375-77 (2004) 449 – 454
Prop. Microstruct. Process. 04-IMR0442
-
- Shen, BL; Inoue, A; Kimura, H; Omori, M; Okubo, A
Bulk glassy soft-magnetic cores produced by spark-plasma sintering Fe65Co10Ga5P12C4B4 glassy powder
Mater. Sci. Eng. A-Struct. Mater. 375-77 (2004) 666 – 670
Prop. Microstruct. Process. 04-IMR0443
-
- Yamasaki, T; Yufune, N; Ushio, H; Okai, D; Fukami, T; Kimura, HM; Inoue, A
Viscosity measurements for Fe-Ni-B and Fe-Ni-Al-B liquid alloys by an oscillating crucible
Mater. Sci. Eng. A-Struct. Mater. 375-77 (2004) 705 – 708
Prop. Microstruct. Process. 04-IMR0444
-
- Yavari, AR; Nikolov, N; Nishiyama, N; Zhang, T; Inoue, A; Uriarte, JL; Heunen, G
The glass transition of bulk metallic glasses studied by real-time diffraction in transmission using high-energy synchrotron radiation
Mater. Sci. Eng. A-Struct. Mater. 375-77 (2004) 709 – 712
Prop. Microstruct. Process. 04-IMR0445
-
- Kasai, M; Matsubara, E; Saida, J; Nakayama, M; Uematsu, K; Zhang, T; Inoue, A
Crystallisation behaviour of CU60Zr30Ti10, bulk glassy
Mater. Sci. Eng. A-Struct. Mater. 375-77 (2004) 744 – 748
Prop. Microstruct. Process. 04-IMR0326
-
- Fukami, T; Okabe, K; Okaia, D; Yamasaki, T; Zhang, T; Inoue, A
Crystal growth and time evolution in Zr-Al-Cu-Ni glassy metals in supercooled
Mater. Sci. Eng. B-Solid State Mater. 111 (2004) 189 – 196
Adv. Technol. 04-IMR0446
-
- Inoue, A; Saida, J
Special issue on bulk amorphous, nano-crystalline and nano-quasicrystalline
Mater. Trans. 45 (2004) 1152 – 1152
04-IMR0452
-

Inoue, A; Zhang, W; Saida, JJ

Synthesis and fundamental properties of Cu-based bulk glassy alloys in binary and multi-component systems

Mater. Trans. 45 (2004) 1153 – 1162

04-IMR0453

Haruyama, O; Kimura, HM; Nishiyama, N; Inoue, A

Insothermal relaxation behavior in a Pd42.5Cu30M7.5P20 metallic

Mater. Trans. 45 (2004) 1184 – 1188

04-IMR0454

Sobu, S; Kimura, H; Louzguine, DV; Inoue, A

Formation, thermal stability and mechanical properties of aluminum-based glassy alloys containing boron

Mater. Trans. 45 (2004) 1204 – 1209

04-IMR0455

Zhang, W; Inoue, A

Formation and mechanical strength of new Cu-based bulk glassy alloys with large supercooled liquid region

Mater. Trans. 45 (2004) 1210 – 1213

04-IMR0456

Amiya, K; Urata, A; Nishiyama, N; Inoue, A

Fe-B-Si-Nb bulk metallic glasses with high strength above 4000 MPa and distinct plastic

Mater. Trans. 45 (2004) 1214 – 1218

04-IMR0457

Bitoh, T; Makino, A; Inoue, A

Magnetization process and coercivity of Fe-(Al, Ga)-(P, C, B, Si) soft magnetic glassy

Mater. Trans. 45 (2004) 1219 – 1227

04-IMR0458

Kim, HS; Kato, H; Inoue, A; Chen, HS; Hong, SI

Microforming of bulk metallic glasses: Constitutive modelling and

Mater. Trans. 45 (2004) 1228 – 1232

04-IMR0459

Ishida, M; Takeda, H; Watanabe, D; Amiya, K; Nishiyama, N; Kita, K; Saotome, Y; Inoue, A

Fillability and imprintability of high-strength Ni-based bulk metallic glass prepared by the precision die-casting technique

Mater. Trans. 45 (2004) 1239 – 1244

04-IMR0460

Nishiyama, N; Amiya, K; Inoue, A

Bulk metallic glasses for industrial

Mater. Trans. 45 (2004) 1245 – 1250

04-IMR0461

Nakano, S; Yamaura, SI; Uchinashi, S; Kimura, H; Inoue, A
Effect of hydrogen absorption on the electrical resistance of melt-spun Mg-Pd and Mg-Ni-Pd amorphous alloys

Mater. Trans. 45 (2004) 1367 – 1370

04-IMR0462

Yokoyama, Y; Fukaura, K; Inoue, A
Effect of Ni addition on fatigue properties of bulk glassy Zr50Cu40Al10

Mater. Trans. 45 (2004) 1672 – 1678

04-IMR0463

Ma, CL; Ishihara, S; Soejima, H; Nishiyama, N; Inoue, A
Formation of new Ti-based metallic glassy

Mater. Trans. 45 (2004) 1802 – 1806

04-IMR0464

Yokoyama, Y; Shinohara, T; Fukaura, K; Inoue, A
Characterization of crystalline inclusions in cast bulk Zr-Cu-Ni-Al glassy

Mater. Trans. 45 (2004) 1819 – 1823

04-IMR0465

Qin, CL; Zhang, W; Kimura, H; Asami, K; Inoue, A
New Cu-Zr-Al-Nb bulk glassy alloys with high corrosion

Mater. Trans. 45 (2004) 1958 – 1961

04-IMR0466

Kubota, T; Inoue, A
Magnetostriction of Fe-Ga-B alloys in amorphous and crystallized

Mater. Trans. 45 (2004) 199 – 203

04-IMR0447

Bian, Z; Ahmad, J; Zhang, W; Inoue, A
In situ formed (Cu0.6Zr0.25Ti0.15)(93)Nb-7 bulk metallic glass

Mater. Trans. 45 (2004) 2346 – 2350

04-IMR0467

Kato, H; Louzguine, DV; Inoue, A; Kim, HS; Chen, HS
Influence of in-situ nanoprecipitation on constant load deformation in the glass transition region of a Cu60Zr30Ti10 bulk metallic glass

Mater. Trans. 45 (2004) 2383 – 2388

04-IMR0468

Nishi, T; Shibata, H; Ohta, H; Haruyama, O; Nishiyama, N; Inoue, A; Waseda, Y
Electrical resistivity measurements of Pd40Cu30Ni10P20 alloy in supercooled liquid and liquid

Mater. Trans. 45 (2004) 2584 – 2586

04-IMR0469

Wada, T; Inoue, A
Formation of porous Pd-based bulk glassy alloys by a high hydrogen pressure melting-water quenching method and their mechanical properties

Mater. Trans. 45 (2004) 2761 – 2765

04-IMR0470

Nakano, S; Yamaura, S; Uchinashi, S; Kimura, H; Inoue, A
Relations between the electrical resistance and hydrogen absorption/desorption for melt-spun Mg₈₇Al₃Pd₁₀ and Ni₆₀Nb₂₀Zr₂₀ amorphous alloys

Mater. Trans. 45 (2004) 2766 – 2769

04-IMR0471

Ishihara, S; Soejima, H; Komaba, S; Takehisa, H; Shimanuki, M; Wang, XM; Inoue, A
Production of glassy coil springs by warm coiling of Zr-based glassy alloy

Mater. Trans. 45 (2004) 2788 – 2790

04-IMR0472

Bian, Z; Zhang, T; Inoue, A
Effect of carbon nanotube addition on the compressive fracture characteristics of Zr-based bulk metallic glass composites

Mater. Trans. 45 (2004) 284 – 287

04-IMR0448

Makino, A; Bitoh, T; Inoue, A
Direct synthesis of L1(0) (Fe_{0.55}Pt_{0.45})₍₇₇₋₇₈₎Zr₂₋₅B₁₇₋₂₀ nanocrystalline alloys with high coercivity by melt-spinning

Mater. Trans. 45 (2004) 2909 – 2915

04-IMR0473

Qin, CL; Zhang, W; Kimura, H; Inoue, A
Excellent mechanical properties of Cu-Hf-Ti-Ta bulk glassy alloys containing in-situ dendrite Ta-based BCC phase

Mater. Trans. 45 (2004) 2936 – 2940

04-IMR0474

Ma, C; Soejima, H; Ishihara, S; Amiya, K; Nishiyama, N; Inoue, A
New Ti-based bulk glassy alloys with high glass-forming ability and superior mechanical

Mater. Trans. 45 (2004) 3223 – 3227

04-IMR0475

Nakano, S; Yamaura, S; Kitano, A; Sato, M; Uchinashi, S; Hamada, T; Umesaki, N; Kimura, H; Inoue, A
X-ray diffraction study for Mg₄Pd crystalline and amorphous alloys using synchrotron

Mater. Trans. 45 (2004) 3232 – 3234

04-IMR0476

Yamaura, S; Shimpo, Y; Okouchi, H; Nishida, M; Kajita, O; Inoue, A
The effect of additional elements on hydrogen permeation properties of melt-spun Ni-Nb-Zr amorphous alloys

Mater. Trans. 45 (2004) 330 – 333

04-IMR0449

Zhang, W; Inoue, A
Cu-based bulk glass formation in the Cu-Zr-Ga alloy system and their mechanical

Mater. Trans. 45 (2004) 532 – 535

04-IMR0450

Inoue, A; Zhang, W

Formation, thermal stability and mechanical properties of Cu-Zr and Cu-Hf binary glassy alloy

Mater. Trans. 45 (2004) 584 – 587

04-IMR0451

Louzguine, DV; Kato, H; Inoue, A

High-strength hypereutectic Ti-Fe-Co bulk alloy with good

Philos. Mag. Lett. 84 (2004) 359 – 364

04-IMR0477

Nishi, T; Shibata, H; Ohta, H; Nishiyama, N; Inoue, A; Waseda, Y

Systematic measurement of thermal diffusivity of Pd₄₀Cu_{40-x}Ni_xP₂₀ (x=0,10,40) alloys in liquid, glassy, crystallized, and supercooled liquid states by the laser flash method

Phys. Rev. B 70 (2004) Art. No. 174204 –

04-IMR0478

Saida, J; Inoue, A

Microstructure of tensile fracture in nanoicosahedral quasicrystal dispersed Zr₈₀Pt₂₀ amorphous

Scr. Mater. 50 (2004) 1297 – 1301

04-IMR0480

Somekawa, H; Inoue, A; Higashi, K

Superplastic and diffusion bonding behavior on Zr-Al-Ni-Cu metallic glass in supercooled liquid

Scr. Mater. 50 (2004) 1395 – 1399

04-IMR0481

Louzguine, DV; Ouyang, LJ; Kimura, HM; Inoue, A

Transformation from glassy plus beta-Zr to glassy plus icosahedral structure in Zr-based

Scr. Mater. 50 (2004) 973 – 976

04-IMR0479

Kato, H; Saida, J; Inoue, A

Influence of hydrostatic pressure during casting on as cast structure and mechanical properties in Zr(65)Al(7.5)Ni(10)Cu(17.5-x)Pd(x) (x=0, 17.5) alloys

Scr. Mater. 51 (2004) 1063 – 1068

04-IMR0483

Kato, H; Yubuta, K; Louzguine, DV; Inoue, A; Kim, HS

Influence of nanoprecipitation on strength of Cu₆₀Zr₃₀Ti₁₀ glass containing mu m-ZrC particle reinforcements

Scr. Mater. 51 (2004) 577 – 581

04-IMR0482