

Endo, K; Badica, P; Sato, H; Akoh, H

Growth of high-quality precipitate free thin films suitable for electronic devices: A new concept for substrates

Adv. Mater. 16 (2004) 1894 – +

04-IMR0505

Orimo, S; Nakamori, Y; Kitahara, G; Miwa, K; Ohba, N; Noritake, T; Towata, S

Destabilization and enhanced dehydriding reaction of LiNH₂: an electronic structure

Appl. Phys. A-Mater. Sci. Process. 79 (2004) 1765 – 1767

04-IMR0506

Badica, P; Kondo, T; Togano, K

Critical current density and magnetic-field irreversibility of Na0.35CoO₂ center dot 1.3H(2)O superconductor

Appl. Phys. Lett. 84 (2004) 559 – 561

04-IMR0507

Badica, P; Kondo, T; Kudo, T; Nakamori, Y; Orimo, S; Togano, K

Magnetization measurements on Li₂Pd₃B

Appl. Phys. Lett. 85 (2004) 4433 – 4435

04-IMR0508

Kurusu, T; Ono, M; Hanai, S; Kyoto, M; Takigami, H; Takano, H; Watanabe, K; Awaji, S; Koyama, K; Nishijima, G; Togano, K

A cryocooler-cooled 19 T superconducting magnet with 52 mm room temperature

IEEE Trans. Appl. Supercond. 14 (2004) 393 – 396

04-IMR0509

Hanada, N; Ichikawa, T; Orimo, S; Fujii, H

Correlation between hydrogen storage properties and structural characteristics in mechanically milled magnesium hydride MgH₂

J. Alloy. Compd. 366 (2004) 269 – 273

04-IMR0510

Nakamori, Y; Orimo, S

Destabilization of Li-based complex

J. Alloy. Compd. 370 (2004) 271 – 275

04-IMR0511

Nakamori, Y; Orimo, S

Synthesis and characterization of single phase LixBC ($x=0.5$ and 1.0), using Li hydride as a starting material

J. Alloy. Compd. 370 (2004) L7 – L9

04-IMR0512

Nakamori, Y; Yamagishi, T; Yokoyama, M; Orimo, S

Synthesis of LiNH₂ films by vacuum

J. Alloy. Compd. 377 (2004) L1 – L3

04-IMR0513

Badica, P; Togano, K; Awaji, S; Watanabe, K; Iyo, A; Kumakura, H

Application of elevated magnetic fields during growth of BiSrCaCuO superconducting whiskers and studies of growth defects for better understanding of the growth mechanism

J. Cryst. Growth 269 (2004) 518 – 534

04-IMR0514

Sasaki, T; Badica, P; Yoneyama, N; Yamada, K; Togano, K; Kobayashi, N

Superconducting properties under magnetic field in Na0.35CoO2 center dot 1.3H2O single

J. Phys. Soc. Jpn. 73 (2004) 1131 – 1134

04-IMR0101

Nakamori, Y; Kitahara, G; Orimo, S

Synthesis and dehydriding studies of Mg–N–H

J. Power Sources 138 (2004) 309 – 312

04-IMR0517

Fukunaga, T; Itoh, K; Orimo, S; Aoki, K

Structural observation of nano-structured and amorphous hydrogen storage materials by neutron diffraction

Mater. Sci. Eng. B–Solid State Mater. 108 (2004) 105 – 113
Adv. Technol.

04-IMR0518

Nakamori, Y; Orimo, S

Li–N based hydrogen storage

Mater. Sci. Eng. B–Solid State Mater. 108 (2004) 48 – 50
Adv. Technol.

04-IMR0519

Orimo, S; Nakamori, Y; Zuttel, A

Material properties of MBH4 (M= Li, Na, and

Mater. Sci. Eng. B–Solid State Mater. 108 (2004) 51 – 53
Adv. Technol.

04-IMR0520

Zuttel, A; Wenger, P; Sudan, P; Mauron, P; Orimo, SI

Hydrogen density in nanostructured carbon, metals and complex

Mater. Sci. Eng. B–Solid State Mater. 108 (2004) 9 – 18
Adv. Technol.

04-IMR0521

Miwa, K; Ohba, N; Towata, S; Nakamori, Y; Orimo, S

First-principles study on lithium borohydride

Phys. Rev. B 69 (2004) Art. No. 245120 –

04-IMR0522

Togano, K; Badica, P; Nakamori, Y; Orimo, S; Takeya, H; Hirata, K

Superconductivity in the metal rich Li–Pd–B ternary

Phys. Rev. Lett. 93 (2004) Art. No. 247004 –

04-IMR0523

Fu, MY; Xu, XF; Jiao, ZK; Kumakura, H; Togano, K; Ding, LR; Wang, FT; Chen, JL

Minimum quench energy and normal zone propagation velocity in MgB2 superconducting

Physica C–Superconductivity and Its Application 402 (2004) 234 – 238

04-IMR0524

Fu, MY; Chen, JX; Jiao, ZK; Kumakura, H; Togano, K; Ding, LR; Zhang, Y; Chen, ZY; Han, HM; Chen, JL
Mechanical properties and bending strain effect on Cu–Ni sheathed MgB₂ superconducting
Physica C–Superconductivity and Its Application 406 (2004) 53 – 57

04-IMR0525

Takeya, H; Matsumoto, A; Hirata, K; Sung, YS; Togano, K
Superconducting phase in niobium diborides prepared by combustion
Physica C–Superconductivity and Its Application 412–14 (2004) 111 – 114

04-IMR0526

Fu, MY; Pan, ZQ; Jiao, ZK; Kumakura, H; Togano, K; Ding, L; Wang, F; Zhang, Y; Chen, ZY; Chen, JL
Quench characteristics and normal zone propagation of an MgB₂ superconducting
Supercond. Sci. Technol. 17 (2004) 160 – 163

04-IMR0527

Badica, P; Iyo, A; Aldica, G; Kito, H; Crisan, A; Tanaka, Y
(Cu, O)Ba₂Ca₃Cu₄O_x–(LiF)_(y): addition of LiF – an effective way to synthesize overdoped superconductor
Supercond. Sci. Technol. 17 (2004) 430 – 437

04-IMR0528

Mihalache, V; Aldica, G; Badica, P; Crisan, A
Anomalies of AC susceptibility losses in the doped [Bi(Pb)]₂Sr₂Ca₂Cu₃O_x
Supercond. Sci. Technol. 17 (2004) 724 – 730

04-IMR0529

Badica, P; Togano, K; Kumakura, H
A modified airtight two–crucible method for growth of Bi–2212 whiskers from glassy
Supercond. Sci. Technol. 17 (2004) 891 – 898

04-IMR0530

Takahashi, K; Awaji, S; Nishijima, G; Watanabe, K; Togano, K
E–J properties of Bi2212 tape in the practical current
Supercond. Sci. Technol. 17 (2004) S568 – S571

04-IMR0531